


नेपाल सरकार

गृह मन्त्रालय



जिल्ला प्रशासन कार्यालय

धनगढी, कैलाली



आ.व. २०८२/०८३ को कैलाली जिल्लाको स्वीकृत

जिल्ला दररेट

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
१	अदक्ष (ज्यामी)	श्रमदिन	६८०	७००	७५५
२	दक्ष (मिस्त्री)	"	९५५	१०५०	११३०
३	अर्धदक्ष	"			८५०
४	चौकिदार	"	६८०	७००	७५५
५	क्याम्प वर्कर	"	६८०	७००	७५५
६	चैनमेन	"	६८०	७००	७५५
७	बिजुलीको लाइनमा (तार तान्ने) काम गर्ने ज्यामी	"	७३०	७४०	७९५
८	बिजुलीको मिटर रिडर (तालिम प्राप्त)	"	७३०	७४०	८५०
९	प्लम्बर	"	९५५	९६५	१०४०
१०	प्लम्बिङ हेल्पर	"	६८०	७००	७५५
११	हेल्पर (खलासी)	"	६८०	७००	७५५
१२	सुपरभाईजर (साधारण)	"	६८०	७००	७५५
१३	सिनियर सुपरभाईजर (तालिम प्राप्त)	"	७०५	७१५	७७०
१४	सडक सुपरभाईजर	"	६८०	७००	७५५
१५	लेन्थ वर्कर दैनिक ज्यालादारीमा	"	६८०	७००	७५५
१६	लेन्थ वर्कर (रोड बोर्ड तर्फ करारमा)	"	६८०	७००	७५५
१७	सडक सुपरभाईजर (रोड बोर्ड तर्फ करारमा)	"	६८०	७००	७५५
१८	सिचाइ ढाल्पा	"	६८०	७००	७५५
१९	सिचाइ गेट अपरेटर	"	६८०	७००	७५५
२०	डाईभर	"			
२१	अमिन	"			
२२	कम्प्युटर अपरेटर	"			
२३	ईन्जिनियर	"			
२४	सब-ईन्जिनियर	"			
२५	ल्याब टेक्निसियन (ना.सु. वा खरिदार सरह)	"			
२६	इन्विपमेन्ट अपरेटर				
२६.१	हेवि	श्रमदिन			
२६.२	लाइट	"			
२७	नाला तथा सेफ्टी टंकी सफा गर्ने कार्य	"	८९५	९०५	९५०
३०	Mechanically treated earth work for Road and Canal including mobilization and de-mobilization of machine				
३०.०१	Excavation in Ordinary soil	cum	७३	७३	७३
३०.०२	Excavation in Hard soil	cum	९८	९८	९८
३०.०३	Excavation in Ordinary Rock	cum	२९८	२९८	२९८


क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
३०.०४	Excavation in Medium Rock	cum	४६५	४६५	४६५
३०.०५	Excavation in Hard Rock	cum	१७३५	१७३५	१७३५
३०.०६	Landslide clearance	cum	७३	७३	७३
३०.०७	Landslide clearance (rocks to be broken)	cum	१०४	१०४	१०४
३०.०८	PRS-75 (Polymer)	Lit			८००
३०.०९	ROC Powder (Soil Conditioner)	Kg			३०
३१	मानिस ब्वारा ढुवानी गर्ने				
३१.०१	सजिलो भारी पहाडको लागी	रु/केजी/किमी	१.७२	१.७३	१.७३
३१.०२	असजिलो भारी	"	१.८६	१.८७	१.८७
३१.०३	सजिलो भारी तराईको लागी	"	१.२९	१.३	१.३
३१.०४	असजिलो भारी	"	१.४२	१.४३	१.४३
३१.०५	भोलुंगे पुलका लट्ठा बोक्ने	"	२.९२	२.९४	२.९४
३१.०६	एच.डि.पि./जि.आई पाईप बोक्ने	"	२.९२	२.९४	२.९४
३१.०७	विरुवा ढुवानी पहाडमा	"	२.७९	२.८१	२.८१
३१.०८	विरुवा ढुवानी तराइमा	"	२.२०	२.२२	२.२२
३२	गाडा, रिक्सा र ठेलाब्वारा ढुवानी गर्ने कार्य				
३२.०१	पिच रोडमा	"	०.४२	०.४२	०.४२
३२.०२	ग्रावेल सडकमा	"	०.४९	०.४९	०.४९
३२.०३	कच्ची (माटो) सडकमा	"	०.५०	०.५०	०.५०
३३	लोड । अनलोड गर्ने काम				
३३.०१	फलामे सामान	क्वीन्टल	४०.८०	४०.८०	४०.८०
३३.०२	सिमेन्ट (५० केजी.)	ब्याग	१६.३१	१६.३१	१६.३१
३३.०३	अन्य सामान (खाद्य सामग्री समेत)	क्वीन्टल	११.६५	११.६५	११.६५
३४	ढुंगाबाट समान ढुवानी गर्ने कार्य				
३४.०१	ग्याविन जालि	प्रति गोटा		६०	६०
३४.०२	ढुंगा	प्रति घ मी		३००	३००
३४.०३	अन्य सामग्री	प्रति किलो		०.६	०.६०
३५	ढक तथा अन्य निर्माण उपकरण भाडा		सडक विभागबाट निर्धारित दररेट अनुसार		
३६	वन संवन्धि कामको लागि				
३६.०१	मार्किंग	प्रति रुख	२३.७	२३.९३	२३.९३
३६.०२	कटान मुछान	घन फूट	३४.१	३४.४	३४.४
३६.०३	बोक्रा फिक्ने	"	५.७६	५.८	५.८
३६.०४	जरा निमाल्ने कार्य (गोलाइ ३० से.मी. सम्म)	प्रति जरा	३२०	३२३	३२३

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
३६.०५	जरा निमाल्ने कार्य (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म)	प्रति जरा	४२५	४२९	४२९
३६.०६	जरा निमाल्ने कार्य (गोलाइ ६० से.मी. भन्दा बढी)	प्रति जरा	५३०	५३५	५३५
३६.०७	जरा ढुवानी (गोलाइ ३० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	१०७	१०८	१०८
३६.०८	जरा ढुवानी (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	१६०	१६१	१६१
३६.०९	जरा ढुवानी (गोलाइ ६० से.मी. भन्दा बढी) २५ कि.मि. सम्म	प्रति जरा	२१३	२१५	२१५
३७	यार्डिंग				
३७.०१	क) पहाडि भिराला क्षेत्रमा गोलिया	घन फूट	१०६	१०७	१०७
३७.०२	ख) तराईमा गोलिया	"	१४.९९	१५.१३	१५.१३
३७.०३	ग) पहाडि भिराला क्षेत्रमा दाउरा	चट्टा	४१००	४१४१	४१४१
३७.०४	घ) तराई क्षेत्रमा दाउरा	चट्टा	६९०	६९६	६९६
३८	पाईलिंग	"	१६.८	१६.९	१६.९
३९	लोडिंग (गोलिया)	"	२२.४०	२२.६०	२२.६०
४०	अनलोडिंग	"	१३.७६	१३.८८	१३.८८
४१	ढुवानी (वन जंगल क्षेत्रमा) गोलिया				
४१.०१	० देखि ३ कि.मि. सम्म	घन फुट	३६.७१	३७.०७	३७.०७
४१.०२	४ देखि ७ कि.मि. सम्म	"	४०.७०	४१.१०	४१.१०
४१.०३	८ देखि १२ कि.मि. सम्म	"	४१.८०	४२.२१	४२.२१
४१.०४	१३ देखि १६ कि.मि. सम्म	"	४४.८०	४५.२४	४५.२४
४१.०५	१७ देखि २० " "	"	४९.९०	५०.३०	५०.३०
४१.०६	२१ देखि २४ " "	"	४९.९०	५०.३०	५०.३०
४१.०७	२५ देखि ३० " "	"	५७.१०	५७.६०	५७.६०
४१.०८	३० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	२.०४	२.०६	२.०६
४२	ढुवानी गोलिया काठ र चिरानी काठ ढुवानी (घाटगद्दी देखि मिल र मिल देखि डिपो सम्म)				
४२.०१	० देखि ५ कि.मि. सम्म	घन फुट	१९.९६	२०.१५	२०.१५
४२.०२	६ देखि १० कि.मि. सम्म	"	२३.४६	२३.६९	२३.६९
४२.०३	११ देखि १५ कि.मि. सम्म	"	२५.५०	२५.७५	२५.७५
४२.०४	१६ देखि २० कि.मि. सम्म	"	३२.६४	३२.९६	३२.९६
४२.०५	२१ देखि २५ कि.मि. सम्म	"	३४.६८	३५.०२	३५.०२
४२.०६	२६ देखि ३० कि.मि. सम्म	"	३५.७०	३६.०५	३६.०५
४२.०७	३१ देखि ४० कि.मि. सम्म	"	३६.७२	३७.०८	३७.०८
४२.०८	४० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	२.०२	२.०४	२.०४

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
४३	चिरान पाईलिङ्ग	घ.मी.	१६.८३	१६.९९	१६.९९
४४	चिरान लोडिग	"	१५.५२	१५.६७	१५.६७
४५	चिरान अनलोडिग	"	११.२३	११.३४	११.३४
४६	दाउरा कटानी संवन्धि				
४६.१	कटान मुछान (२० X ५ X ५) फिट	चट्टा	५४५०.००	५५०४.००	५५०४.००
४६.२	लोड अनलोड	"	२९३७.००	२९६६.००	२९६६.००
४६.३	चट्टा निर्माण	"	२००४.००	२०२४.००	२०२४.००
४६.४	ढुवानी २५ कि.मि. सम्म	"	५५८२.००	५६३७.००	५६३७.००
४६.५	ढुवानी २५ कि.मि.भन्दा माथि थप प्रत्येक कि.मि. का लागि	"	२७१.००	२७३.००	२७३.००
४७	हरेक गोलियमा ईनामेलले गोलियाको साईज र नं. एवं लट नं. समेत स्पष्ट बुझिने गरी लेख्ने कामका लागि	गोलिया	६.३८	६.४४	६.४४
४८	चिरान उत्पादन गर्ने कार्य	घ.फी.	७३.००	७३.७३	७३.७३
४९	उत्पादित चिरान बाहेक भुस,वाकल तोकिएको स्थानमा फाल्ने कार्य	प्रति क्वीन्टल	२९.००	२९.२९	२९.२९
५०	अन्य साइज तथा सह उत्पादन कार्य	प्रति क्वीन्टल	९४.००	९४.९४	९४.९४
५१	वाकल लोड गर्ने कार्य	प्रति क्वीन्टल	४६.००	४६.४६	४६.४६
५२	वाकल अन लोड गर्ने कार्य	प्रति क्वीन्टल	१५.८०	१५.९५	१५.९५
५३	१०० मी. टाढाबाट गोलिया मिलडेकसम्म बेलान गर्ने कार्य	घ.फी.	१५.८०	१५.९५	१५.९५
५४	चिरान काठ काठमाण्डौ सिपमेण्ट	घ.फी.	२२५.००	२२७.००	२२७.००
५५	दाउरा काठमाण्डौ सिपमेण्ट	क्विन्टल	७२०.००	७२७.००	७२७.००
५६	भाडाको सःमिलबाट गोलिया काठ चिरान गर्नुपर्दा गोलियामा	घ.फी.	१०८.००	१०९.००	१०९.००
५७	घाटगढी स्थानबाट सःमिल सम्म गोलिया काठ ढुवानी गर्दा लोड	घ.फी.	३६.७२	३७.०८	३७.०८
५८	घाटगढी स्थानबाट सःमिल सम्म गोलिया काठ ढुवानी गर्दा अनलोड	घ.फी.	८.१६	८.२४	८.२४
५९	ट्रकजान नसक्ने अवस्थामा स्थान देखी सडक सम्म टेक्टर बाट गोलिया भिकाउने	घ.फी.	१३.२६	१३.३९	१३.३९
६०	सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुछानसहित पहाडी बेलान	घ.फी.	२८४.००	२८६.००	२८६.००
६१	छपान गरेको रुखको फोटो खिचेको	गोटा	१०.६०	१०.७०	१०.७०
६२	घाटगढीबाट दाउरा ढुवानी गर्दा लोड अनलोड	चट्टा	७३००.००	७३७३.००	७३७३.००
६३	जलवायु कार्यको लागी				
६३.१	गेज रिडर	श्रम दिन	४५०.००	४५४.००	४५४.००

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
६३.२	अब्जरभर	"	२५०.००	२५२.००	२५२.००
६४	हलुका सवारी साधन (जीप) भाडा ईन्धन बाहेक	कार्य दिन	५४००.००	५४५४.००	५४५४.००
६५	सर्भे ईक्युप्मेन्ट भाडा (टोटल स्टेशन सेट)	"	३६००.००	३६३६.००	३६३६.००
६६	घर भाडा	महिना	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार
	भवनको प्लिन्थ एरिया दर (मुआब्जा प्रयोजनको लागी)				
६७	फ्रेम स्ट्रक्चर पक्की भवन सिमेन्ट मसालमा				
६७.०१	ग्राउन्ड फ्लोर	वर्ग फिट	२४७५.००	२४९९.००	२४९९.००
६७.०२	अन्य फ्लोर	वर्ग फिट	१९७५.००	१९९४.००	१९९४.००
६८	लोड वियरिङ्ग पक्की भवन सिमेन्ट मसाल				
६८.०१	ग्राउन्ड फ्लोर	वर्ग फिट	२४९५.००	२५१९.००	२५१९.००
६८.०२	अन्य फ्लोर	वर्ग फिट	१६२०.००	१६३६.००	१६३६.००
६९	लोड वियरिङ्ग पक्की भवन माटोको जोडाईमा				
६९.०१	ग्राउन्ड फ्लोर	वर्ग फिट	१४९५.००	१५०९.००	१५०९.००
६९.०२	अन्य फ्लोर	वर्ग फिट	११४०.००	११५१.००	११५१.००
७०	लोड वियरिङ्ग भवन टाईलको छाना भएको	वर्ग फिट	११६०.००	११७१.००	११७१.००
	शिलालेख लेख्ने कार्य				
७१	मार्बलमा				
७१.०१	अक्षर माथी उठेको	वर्ग फिट	३०९०.००	३१२०.००	३१२०.००
७१.०२	अक्षर तल दवेको	वर्ग फिट	२४७२.००	२४९६.००	२४९६.००
७२	पित्तलमा				
७२.०१	अक्षर माथी उठेको	वर्ग फिट	४३२०.००	४३६३.००	४३६३.००
७२.०२	अक्षर तल दवेको	वर्ग फिट	३७००.००	३७३७.००	३७३७.००
७३	तामामा				
७३.०१	अक्षर माथी उठेको	वर्ग फिट	४९४०.००	४९८९.००	४९८९.००
७३.०२	अक्षर तल दवेको	वर्ग फिट	४३२०.००	४३६३.००	४३६३.००
७४	खाद्यान्न सामग्री सम्बन्धि ज्याला				
७४.०१	तौलाइ जोखाइ (खाद्यान्न बिक्री वितरण गर्दा)	प्रति क्वीन्टल			२०.००
७४.०२	तौलाइ चौकाइ (फुटेको बोरा रि-कस्ती गरि तौलिने र चौकीने)	प्रति क्वीन्टल			२०.००
७४.०३	लोड/अनलोड	प्रति क्वीन्टल			२०.००
७४.०४	बोरा धब्बी बानाएको	प्रति धब्बी			१२.००
७४.०५	बोरा लोड/अनलोड गरेको- ठूलो बोरा	प्रति धब्बी			१०.००
७४.०६	बोरा लोड/अनलोड गरेको- सानो बोरा	प्रति धब्बी			८.००

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
७४.०७	प्यालेट्स ओसार पसार	प्रति प्यालेट्स			५.००
७४.०८	खाद्यान्न सरसफाई (केलाउने)	प्रति व्यक्ति प्रति दिन			६६८.००
७४.०९	खाद्यान्न ओसार पसार (एक गोदाम बाट अर्को गोदाममा)	प्रति क्वीन्टल			२५.००
७४.१०	फ्युमिगेसन	प्रति फ्युमिगेसन सिट			५००.००
७४.११	स्प्रे	प्रति व्यक्ति प्रति दिन			६६८.००
७४.१२	खाद्यान्न चौकाएको (कुनै कारणले छल्ली भत्केर फेरी मिलाउनु पर्दा)	प्रति क्वीन्टल			१८.००
७४.१३	गोदाम सरसफाई	प्रति व्यक्ति प्रति दिन			६६८.००
७४.१४	बोरा ढुवानी- ठूलो	प्रति बोरा प्रति कि.मि.			०.०५
७४.१५	बोरा ढुवानी- सानो	प्रति बोरा प्रति कि.मि.			०.०४
७४.१६	बोरा टल्ली पट्टी	प्रति बोरा			१०.००
७४.१७	सामान्य मर्मत (वायरिङ्ग, सामान्य भत्केको, चुहिने छाना टालेको)	प्रति व्यक्ति प्रति दिन			६६८.००






क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१	ईटा नेपाल स्टान्डार्डको				
१.१	अव्वल (एक नम्बर) - चिम्नी भट्टाको	१०००	१३५००	१३५००	१२५००
१.२	दुई नम्बर (लालपेटी) - चिम्नी भट्टाको	१०००	१०२००	१०२००	९५००
१.३	ओवर बर्न्ड/अण्डर बर्न्ड - चिम्नी भट्टाको	१०००	९०००	९०००	८५००
१.४	टुक्रा	ट्राली	७०००	७०००	६५००
१.५	मेसिनबाट उत्पादित ईटा (१ नम्बर)	१०००	११७००	११७००	११७००
२	सिमेन्टको ईटा				
२.१	Compressed Interlocking Concrete Block 12"*6"*4"	गोटा	४०	४०	४०
३	वालुवा, ढुंगा र माटो				
३.१	वालुवा	घ.मि.	नर्मस् अनुसार		
३.२	धोएको वालुवा	घ.मि.	७५०	७५०	८००
३.३	खोलाको ढुंगा	घ.मि.	नर्मस् अनुसार		
३.४	कुदेको "	घ.मि.			
३.५	वण्ड "	घ.मि.			
३.६	माटो खरिद धनगढी उ.म.न.पा. भित्र	घ.मि.	४५०	४५०	४५०
३.७	माटो खरिद अन्य क्षेत्रमा	घ.मि.	३४५	३४५	३४५
४	गिट्टी क्रसरको				
४.१	४० मि.मि. ढुवानी वाहेक	घ.मि.	१३५०	१३५०	१३५०
४.२	२० मि.मि. "	घ.मि.	१८९०	१८९०	१८९०
४.३	१० मि.मि. "	घ.मि.	१४००	१४००	१४००
४.४	६ मि.मि. "	घ.मि.	१६००	१६००	१६००
४.५	ढुङ्गाको धूलो "	घ.मि.	६८२	६८२	६८२
५	खोलाको छानेको गोला गिट्टी				
५.१	४० मि.मि. ढुवानी वाहेक	घ.मि.	नर्मस् अनुसार		
५.२	२० मि.मि. "	घ.मि.			
५.३	१० मि.मि. "	घ.मि.			
५.४	४ मि.मि. देखि १० मि.मि सम्म	घ.मि.			
६	सिमेन्ट				
६.१	४३/५३ ग्रेड ५० केजीको PPC (NS)	बोरा	६००	६००	६५०
६.२	४३/५३ ग्रेड ५० केजीको OPC (NS)	बोरा	७००	७००	७५०
६.३	सेतो सिमेन्ट	के.जी.	३३.०	३३.०	३३
७	काठ				
७.१	साल	घ.मी.	२१८३८५	१७७०००	१७७०००
७.२	सिसम	घ.मी.	१५१९३८	१४४९००	१४४९००
७.३	सल्लो	घ.मी.	५४०२७	४४१००	४४१००
७.४	कुकाठ	घ.मी.	३७०५३	३७०००	३७०००
८	बांस (७ मी लम्बाइ)				
८.१	धनगढी नपा. क्षेत्रमा	गोटा	३९०	३५०	३५०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
८.२	धनगढी नपा. बाहेकका क्षेत्रमा	गोटा	३४०	२९०	२९०
९	ग्रेनाइट/मार्बल				
९.०१	१६ मि.मि. बाक्लो ग्रेनाइट राम्रो- Colourful	व.मी.	४२००	४२००	४२००
९.०२	ग्रेनाइट सादा	व.मी.	३२००	३२००	३२००
९.०३	१६ मि.मि. बाक्लो मार्बल	व.मी.	३०००	३०००	३०००
९.०४	१३ मि.मि. बाक्लो मार्बल	व.मी.	१७७२	१७७२	१७७२
९.०५	मार्बल चिप्स (३ मि.मी.को)	के.जी.	२०	२०	२०
९.०६	मार्बल चिप्स (५ मि.मी.को)	के.जी.	२१	२१	२१
९.०७	अक्जालीक एसिड पाउडर	के.जी.	१७१	१७१	१७१
९.०८	मैन पोलिस	के.जी.	६२६	६२६	६२६
९.०९	कावोरेन्डम ढुंगा (२ X २ X ४ ईन्ची)	गोटा	६५१	६५१	६५१
१०	टाईल (Procelain Glazed & Non-skid Tiles)				
१०.०१	12"*18" Wall Tile	ब.फि.	१०५	१०५	१०५
१०.०२	12"*18" Wall Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	११६	११६	११६
१०.०३	12"*24" Wall Tile	ब.फि.	१३०	१३०	१३०
१०.०४	12"*24" Wall Tile Kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१६०	१६०	१६०
१०.०५	16"*32" Wall Tile	ब.फि.	१४०	१४०	१४०
१०.०६	16"*32" Wall Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१८५	१८५	१८५
१०.०७	12"*12" Floor Tile	ब.फि.	१०५	१०५	१०५
१०.०८	12"*12" Floor Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	११६	११६	११६
१०.०९	16"*16" Floor Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१२०	१२०	१२०
१०.१	24"*24" Vertified Tile-Plain Ivory	ब.फि.	११३	११३	११३
१०.११	24"*24" Vertified Tile-Plain Ivory kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१३५	१३५	१३५
१०.१२	24"*24" Doube Charged Vertified Tile-Light Shade	ब.फि.	१४५	१४५	१४५
१०.१३	24"*24" Doube Charged Vertified Tile-Dark Shade	ब.फि.	१५५	१५५	१५५
१०.१४	16"*16" Parking Tile- 12mm thickness	ब.फि.	१२५	१२५	१२५
११	Bitumen/ Emulsion/Anti stripping additive				
११.१	Bitumen 80/100 grade	के.जी.	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।
११.२	ईमल्सन Medium Setting with 65% Bitumen (M/S 65%)	के.जी.	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे वमोजिम ।

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
११.३	Anti stripping additive, ex-factory rate Amlekhgunj	के.जी.	४१०	४१०	४१०
११.४	Instant Road repair Premix (pot Holes) 25kg per bag	घबन	११५०	११५०	११५०
१२	फलामे डण्डी				
१२.१	४.७५ देखि ७ मि.मि.को टीएमटी	के.जी.	१००	१००	९८
१२.२	८ मिमि को टीएमटी	के.जी.	१०३	१०३	१०१
१२.३	१० देखि २० मि.मि. सम्मका टीएमटी	के.जी.	१००	१००	९८
१२.४	२५, २८ र ३२ मि.मि का टीएमटी	के.जी.	१०३	१०३	१०१
१२.५	वाईण्डिंग तार	के.जी.	१३०	१३०	१३०
१३	गिट्टी छान्ने तारजाली				
१३.१	२४ गेजको	व.मी.	१०१५	१०१५	१०१५
१३.२	२६ गेजको	व.मी.	८१२	८१२	८१२
१३.३	एक्सपेण्डेड मेटल वायर मेश	व.मी.	२६३	२६३	२६३
१३.४	चिकेन वायर मेश	व.मी.	३२४	३२४	३२४
१४	गेविन जी.आइ. तार र सडक सम्बन्धी				
१४.०१	७ र ८ गेजको हेभी	के.जी.	१३०	१३०	१३२
१४.०२	१० " "	के.जी.	१३०	१३०	१३२
१४.०३	१२ " "	के.जी.	१३२	१३२	१३३
१४.०४	७ र ८ गेजको मध्यम	के.जी.	१२५	१२५	१२६
१४.०५	१० " "	के.जी.	१२५	१२५	१२६
१४.०६	१२ " "	के.जी.	१२७	१२७	१२८
१४.०७	७ र ८ गेजको कमर्सियल (हल्का)	के.जी.	१२२	१२२	१२३
१४.०८	१० " "	के.जी.	१२२	१२२	१२३
१४.०९	१२ " "	के.जी.	१२४	१२४	१२५
१४.१०	विभिन्न साइजको मेसिनमेड जालीहरु	छुट्टै तालिकामा दिईअनुसार			
१४.११	जीओ-टेक्स्टाइल (१०० ग्राम)	व.मी.	१००	१००	१००
१४.१२	जीओ-टेक्स्टाइल (१५० ग्राम)	व.मी.	११३	११३	११३
१४.१३	जीओ-टेक्स्टाइल (२०० ग्राम)		१३०	१३०	१३०
१४.१४	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-२५० जी.एस.एम.)	व.मी.	४१५	४१५	४१५
१४.१५	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३०० जी.एस.एम.)	व.मी.	४५०	४५०	४५०
१४.१६	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३५० जी.एस.एम.)	व.मी.	५१६	५१६	५१६
१४.१७	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-४०० जी.एस.एम.)	व.मी.	५५०	५५०	५५०
१४.१८	रङ्गरोगन सहितको ट्राफिक चिन्ह	गोटा	५५२५	५५२५	५५२५
१४.१९	सौर्य उर्जा सडक स्ट्रुड	थान	४०००	४०००	४०००
१४.२०	साधारण क्याट्स आई	गोटा	६००	६००	६००
१४.२१	सडकमा लगाउने थर्मोप्लास्टिक रङ्ग	कि.ग्रा.	२२५	२२५	२२५
१४.२२	Glass beads	कि.ग्रा.	२६०	२६०	२६०
१४.२३	सडकमा मार्किङ गर्ने रङ्ग	लीटर	५२०	५२०	५२०
१४.२४	Double sank cat eye 25 ton capacity	Nos	११५०	११५०	११५०



क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१४.२५	Simple sank cat eye 25 ton capacity	Nos	७५०	७५०	७५०
१४.२६	Aluminium Solar strud 45 ton capacity	Nos	५०००	५०००	५०००
१५	काडेतार				
१५.१	८ गेजको	के.जी.	१३१	१३१	१३१
१५.२	१० गेजको	के.जी.	१३१	१३१	१३१
१५.३	१२ गेजको	के.जी.	१३२	१३२	१३२
१५.४	१४ गेजको	के.जी.	१३०	१३०	१३०
१६	किला काँटी बिभिन्न साइज				
१६.१	साधारण कीला	के.जी.	१३०	१३०	१३०
१६.२	ल्वड किला	के.जी.	२२८	२२८	२२८
१६.३	नटवोल्ट ६० मि.मिको	के.जी.	२४०	२४०	२४०
१६.४	नटवोल्ट ८० मि.मिको	के.जी.	२५०	२५०	२५०
१६.५	जे हुक/यू हुक विभिन्न साइजको	के.जी.	१५५	१५५	१५५
१६.६	जस्ता पाताको किला	के.जी.	१७३	१७३	१७३
१६.७	५० मि.मि.को पेच किला	गोटा	४	४	४
१६.८	६० मि.मि. को पेच किला	गोटा	४.५	४.५	४.५
१७	बिटुमिन बासर	पेकेट	३९	३९	३९
१८	होल्ड फाष्ट	के.जी.	१६०	१६०	१६०
१९	कव्जा				
१९.१	कव्जा ६ इन्ची	गोटा	५५	५५	५५
१९.२	„ ४ „	गोटा	३०	३०	३०
१९.३	„ ३ „	गोटा	२४	२४	२४
२०	छेस्कीनी				
२०.१	६" स्टील	गोटा	८५	८५	८५
२०.२	४" स्टील	गोटा	८०	८०	८०
२०.३	६" पितलको	गोटा	२७०	२७०	२७०
२०.४	४" „	गोटा	२१५	२१५	२१५
२०.५	६" अलम्युनिम	गोटा	१०७	१०७	१०७
२०.६	४" „	गोटा	९७	९७	९७
२१	डोर लकिड सेट/अल्ड्राफ (वेलन)				
२१.१	१०" स्टील	सेट	२२८	२२८	२२८
२१.२	१२" „	सेट	२८६	२८६	२८६
२१.३	१० " पितलको	सेट	११८४	११८४	११८४
२१.४	१२ " पितलको	सेट	१३६०	१३६०	१३६०
२१.५	१० " अलम्युनियम	सेट	४५४	४५४	४५४
२१.६	१२ " अलम्युनियम	सेट	५६९	५६९	५६९
२२	हेण्डील				
२२.१	६" स्टील	गोटा	५३	५३	५३
२२.२	४" „	गोटा	४२	४२	४२

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
२२.३	६" पितलको	गोटा	२६७	२६७	२६७
२२.४	४" "	गोटा	१७०	१७०	१७०
२२.५	६" अलम्युनिम	गोटा	६४	६४	६४
२२.६	४" "	गोटा	५८	५८	५८
२२.७	मोर्टिस ताला ढोकाको साधारण	गोटा	११२८	११२८	११२८
२२.८	" " राम्रो पित्तल	गोटा	२३५४	२३५४	२३५४
२३	डोर स्प्रिड (जाली ढोकाको)				
२३.१	साधारण	गोटा	३७१	३७१	३७१
२३.२	मध्यम	गोटा	११३३	११३३	११३३
२३.३	राम्रो	गोटा	२०६०	२०६०	२०६०
२४	ग्लास				
२४.१	३.५ मिमी.	व.फु.	७७	७७	७७
२४.२	४ मिमी.	व.फु.	८९	८९	८९
२४.३	४ मिमी.(रगिन्)	व.फु.	९७	९७	९७
२४.४	५.० मिमी.	व.फु.	१११	१११	१११
२४.५	५.० मिमी.(रगिन्)	व.फु.	१३३	१३३	१३३
२५	प्लाइउड				
२५.०१	३ मिमी. कमर्सियल	व.फु.	३६	३६	३६
२५.०२	४ मिमी. कमर्सियल	व.फु.	२८	२८	२८
२५.०३	६ मिमी. कमर्सियल	व.फु.	३८	३८	३८
२५.०४	८ मिमी. कमर्सियल	व.फु.	५८	५८	५८
२५.०५	१० मिमी. कमर्सियल	व.फु.	६१	६१	६१
२५.०६	१२ मिमी. कमर्सियल	व.फु.	८५	८५	८५
२५.०७	४ मिमी. वाटरप्रूफ	व.फु.	५५	५५	५५
२५.०८	६ मिमी. वाटरप्रूफ	व.फु.	७०	७०	७०
२५.०९	८ मिमी. वाटरप्रूफ	व.फु.	६६	६६	६६
२५.१०	९ मिमी. वाटरप्रूफ	व.फु.	९४	९४	९४
२५.११	१२ मिमी. वाटरप्रूफ	व.फु.	११५	११५	११५
२५.१२	१९ मिमी. कमर्सियल भित्र काठ राखेको	व.फु.	११५	११५	११५
२५.१३	१९ मिमी. कमर्सियल भित्र काठ नराखेको	व.फु.	१२६	१२६	१२६
२५.१४	१९ मिमी. वाटरप्रूफ	व.फु.	१५८	१५८	१५८
२५.१५	टिक प्लाइउड ४ मी.मी. (Natural texture)	व.फु.	६५	६५	६५
२५.१६	टिक प्लाइउड ४ मी.मी. (Simple texture)	व.फु.	६५	६५	६५
२५.१७	12mm thick 8*4* Film Coated Ply 30kg/pics	व.फु.	१०२	१०२	१०२
२५.१८	18mm thick 8*4* Film Coated Ply 39kg/pics	व.फु.	१७०	१७०	१७०
२५.१९	32m thick Paandoor Flush Door of Differnet Size	व.फु.	३००	३००	३००
२६	लेमिनेटेड पार्टिशन बोर्ड				
२६.१	४ मिमी.	व.फु.	२२	२२	२२
२६.२	९ मिमी.	व.फु.	७५	७५	७५
२६.३	१२ मिमी.	व.फु.	२२०	२२०	२२०

क्र.सं.	विवरण	एकाई	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट	आ. ब. ०८२-८३ को दररेट
२६.४	१८ मिमी.	व.फु.	३३०	३३०	३३०
२६.५	२५ मिमी	व.फु.	४७५	४७५	४७५
२७	सनमाईका तथा फरमाईका				
२७.१	सनमाईका (४'x८')	व.फु.	१७	१७	१७
२७.२	फोरमाईका	व.फु.	७५	७५	७५
२८	Gypsum Board				
२८.१	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.26mm*0.26mm and 0.26mm thick hanger- Norman Gypsum Board	व.फु.	८०	८७	८७
२८.२	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.26mm*0.26mm and 0.26mm thick hanger- USG Knauf Gypsum Board	व.फु.		९२	९२
२८.३	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.30mm*0.30mm and 0.30mm thick hanger-Normal Gypsum Board	व.फु.	९०	९७	९७
२८.४	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.30mm*0.30mm and 0.30mm thick hanger-USG Knauf Gypsum Board	व.फु.		१०२	१०२
२८.५	12.5mm thick Gypsum Board False ceiling with GI Channel 0.5mm*0.4mm*0.4mm and 0.4mm thick hanger-Normal Gypsum Board	व.फु.		१०७	१०७
२८.६	12.5mm thick Gypsum Board False ceiling with GI Channel 0.5mm*0.4mm*0.4mm and 0.4mm thick hanger-USG Knauf Gypsum Board	व.फु.		११२	११२
२८.७	Dry Wall Partition using 12.5mm thick Gypsum board both side on 50mm stud	व.फु.		१७२	१७२
२८.८	Dry Wall Partition using 12.5mm thick Gypsum board both side on 75mm stud	व.फु.		२०५	२०५
२९	PVC Panel				
२९.१	8mm thick PVC Board for False Ceiling	व.फु.		१६८	१६८
२९.२	Design	र.फु.		१६८	१६८
२९.३	PVC Wall Paneling work 6mm	व.फु.		१७४	१७४
२९.४	Design	र.फु.		१७४	१७४
२९.५	PVC Fluted Wall Paneling work 10mm	व.फु.		२२१	२२१
२९.६	Design	र.फु.		२२१	२२१
२९.७	PVC Louvered Wall Paneling work 23mm	व.फु.		३१०	३१०
२९.८	Design	र.फु.		३१०	३१०
३०	Fiber Cement Board				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
३०.१	6mm thick (6'*4')	व.फु.	३६	३६	३६
३०.२	8mm thick (8'*4')	व.फु.	५०	५०	५०
३०.३	10mm thick (8'*4')	व.फु.	५८	५८	५८
३०.४	12mm thick (8'*4')	व.फु.	६६	६६	६६
३०.५	16mm thick (8'*4')	व.फु.	७६	७६	७६
३०.६	20mm thick (8'*4')	व.फु.	९२	९२	९२
३०.७	Fiber Cement Board Wall Pannel-50mm (70-80 Kg/pc)	व.फु.	१३५	१३५	१३५
३०.८	Fiber Cement Board Wall Pannel-75mm (100-110 Kg/pc)	व.फु.	१८०	१८०	१८०
३०.९	Cement Board Flse Ceiling- 2'*2' Plain	व.फु.	६५	६५	६५
३१	Sandwich EPS Panel				
	Providing and fitting EPS Sandwich panel FR 3 rated Exterior & interior skin of .30 - .40mm PPGI with flame retardant EPS core insulation Base metal 1105mm and effective width 1000mm,length 2m -13m with specified color and thickness all complete.				
	Ivory color/white color flat partition and exterior wall				
३१.०१	Thickness 50mm	व.फु.	३३०	३३०	३९४
३१.०२	75mm	व.फु.	३७७	३७७	४५५
३१.०३	100mm	व.फु.	४२५	४२५	५११
३१.०४	125mm	व.फु.	४७५	४७५	५६०
३१.०५	150mm	व.फु.	५२३	५२३	६२९
३२	Blue, Orange and Maroon Roof panel				
३२.०१	50mm	व.फु.	३७८	३७८	४५६
३२.०२	75mm	व.फु.	४२६	४२६	५१२
३२.०३	100mm	व.फु.	५१५	५१५	६१७
३२.०४	125mm	व.फु.	५२३	५२३	६२७
३२.०५	150mm	व.फु.	५७३	५७३	६८६
३३	Sandwich EPE Panel				
३३.०१	40mm	व.फु.	२५७	२५७	२५७
३३.०२	50mm	व.फु.	२९४	२९४	२९४
३३.०३	60mm	व.फु.	३३०	३३०	३३०
३३.०४	80mm	व.फु.	३८८	३८८	३८८
३३.०५	100mm	व.फु.	४५१	४५१	४५१
३४	Sandwich PUF Panel				
३४.०१	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	२८०	२९४	२९४

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
३४.०२	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	३३०	३४६	३४६
३४.०३	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	३९९	४१८	४१८
३४.०४	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	४७२	४९५	४९५
३४.०५	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.फु.	२५२	२६४	२६४
३४.०६	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.फु.	२७३	२८६	२८६
३४.०७	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet-Roofing Panel with all accessories	व.फु.	२९४	३०८	३०८
३४.०८	0.4mm thick Ridge Cap	र.फि	१९८	२००	२००
३४.०९	Gutter 0.30mm thick (Size-4")	र.फि	९०	९०	९०
३४.१	Gutter 0.35mm thick (Size-4")	र.फि	१००	१००	१००
३४.११	Gutter 0.40mm thick (Size-16")	र.फि	११०	११५	११५
३४.१२	Gutter 0.40mm thick (Size-12")	र.फि		८८	८८
३४.१३	Gutter 0.50mm thick (Size-16")	र.फि	१३०	१११	१११
३४.१४	Gutter 0.50mm thick (Size-12")	र.फि		९७	९७
३४.१५	Polycarbonate Corrugated sheet 0.8mm thick	व.फु.	१२५	१२५	१२५
३४.१६	Polycarbonate Corrugated sheet 1.0mm thick	व.फु.	१४५	१४५	१४५
३४.१७	Polycarbonate Corrugated sheet 1.2mm thick	व.फु.	१७०	१४८	१४८
३४.१८	Polycarbonate Corrugated sheet 1.5mm thick	व.फु.	२००	१६५	१६५
३४.१९	Polycarbonate Corrugated sheet 1.8mm thick	व.फु.	२४०	२४०	२४०

क्र.सं.	विवरण	एकाई	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
३४.२	Polycarbonate Corrugated sheet 2.0mm thick	व.फु.	२५०	२१५	२१५
३४.२१	Polycarbonate Corrugated sheet 2.5mm thick	व.फु.	३०५	२८७	२८७
३४.२२	Polycarbonate Corrugated sheet 3mm thick	व.फु.		३४२	३४२
३४.२३	Polycarbonate Plain sheet 1.0mm thick	व.फु.	१३५	११४	११४
३४.२४	Polycarbonate Plain sheet 1.5mm thick	व.फु.	१७५	१७५	१७५
३४.२५	Polycarbonate Plain sheet 2.0mm thick	व.फु.	२४०	१६९	१६९
३४.२६	Polycarbonate Plain sheet 2.5mm thick	व.फु.	२९५	२२३	२२३
३४.२७	Polycarbonate Plain sheet 3mm thick	व.फु.		२७०	२७०
३४.२८	Polycarbonate Plain sheet 4mm thick	व.फु.		३१६	३१६
३४.२९	Polycarbonate Plain sheet 5mm thick	व.फु.		३७५	३७५
३४.३	Polycarbonate Plain sheet 6mm thick	व.फु.		४५०	४५०
३४.३१	Polycarbonate Plain sheet 7mm thick	व.फु.		५४०	५४०
३४.३२	Polycarbonate Plain sheet 8mm thick	व.फु.		५८१	५८१
३४.३३	Polycarbonate Plain sheet 9mm thick	व.फु.		७२५	७२५
३४.३४	Polycarbonate Plain sheet 10mm thick	व.फु.		७६७	७६७
३४.३५	Polycarbonate Plain sheet 12mm thick	व.फु.		८७३	८७३
३४.३६	Polycarbonate Compact Sheet (Tilara or Eqvt.)-1mm thick	व.फु.		१०२	१०२
३४.३७	Polycarbonate Compact Sheet (Tilara or Eqvt.)-2mm thick	व.फु.		२०४	२०४
३४.३८	Polycarbonate Compact Sheet (Tilara or Eqvt.)-3mm thick	व.फु.		३०६	३०६

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
३४.३९	Polycarbonate Compact Sheet (Tilara or Eqvt.)-5mm thick	व.फु.		५०९	५०९
३४.४	Polycarbonate Compact Sheet (Tilara or Eqvt.)-8mm thick	व.फु.		८१५	८१५
३४.४१	Polycarbonate Compact Sheet (Tilara or Eqvt.)-10mm thick	व.फु.		१०१८	१०१८
३४.४२	Polycarbonate Compact Sheet (Tilara or Eqvt.)-12mm thick	व.फु.		१२२२	१२२२
३४.४३	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-4mm thick	व.फु.		६८	६८
३४.४४	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-6mm thick	व.फु.		९८	९८
३४.४५	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-8mm thick	व.फु.		११३	११३
३४.४६	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-10mm thick	व.फु.		१२८	१२८
३४.४७	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-16mm thick	व.फु.		२२५	२२५
३५	Supplying and laying of polythene and polypropylene polymer compound for water proof membarane	व.फु.		८०	८०
३६	जस्ता पाता (सिजिआई सीट)				
३६.१	0.35 mm (26 guage light)	वण्डल	८४४६	८४४६	८४४६
३६.२	0.37 mm (26 guage Medium)	वण्डल	९५००	९५००	९५००
३६.३	0.41 mm (26 guage Heavy)	वण्डल	१०९९०	१०९९०	१०९९०
३६.४	0.45 mm (24 guage light)	वण्डल	११२००	११२००	११२००
३६.५	0.50 mm (24 guage Medium)	वण्डल	११७००	११७००	११७००
३६.६	0.52 mm (24 guage Heavy)	वण्डल	१३४००	१३४००	१३४००
३७	जि आई प्लेन सीट				
३७.१	३x६ फीट २६ गेजको मिडियम	गोटा	७४०	७४०	७४०
३७.२	३x६ फीट २४ गेजको मिडियम	गोटा	७७०	७७०	७७०
३८	रंगीन जस्ता पाता (सिजिआई सीट)				
३८.१	0.35 mm (26 guage light)	वण्डल	११४००	११४००	११४००
३८.२	0.37 mm (26 guage Medium)	वण्डल	११८००	११८००	११८००
३८.३	0.41 mm (26 guage Heavy)	वण्डल	१२९००	१२९००	१२९००
३८.४	0.45 mm (24 guage light)	वण्डल	१३४००	१३४००	१३४००
३८.५	0.50 mm (24 guage Medium)	वण्डल	१४५००	१४५००	१४५००
३८.६	0.55 mm (24 guage Heavy)	वण्डल	१५५००	१५५००	१५५००
३९	रंगीन प्लेन सीट				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
३९.१	३×६ फीट २४ गेजको	गोटा	११८०	११८०	११८०
३९.२	३×६ फीट २६ गेजको	गोटा	९६५	९६५	९६५
४०	फलामे सामग्री				
४०.०१	फलामको स्क्वायर पाईप र गोलो पाईप	के.जी.	१२०	१२०	१२५
४०.०२	विभिन्न साइजको एंगल, चैनल, टी, फ्ल्याट इत्यादि	के.जी.	११०	११०	११०
४०.०३	कालो पाईपको तयारी टूस	के.जी.	१४५	१४५	१४५
४०.०४	३×२०मि.मि./४.५×२०मि.मि तयारी ग्रील	के.जी.	१४०	१४०	१४०
४०.०५	फलामे गेट (घर कम्पाउण्डको)	के.जी.	१५०	१५०	१५०
४०.०६	च्यानल गेट (घर कम्पाउण्डको)	के.जी.	१४०	१४०	१४०
४०.०७	च्यानल एंगल गेट (घर कम्पाउण्डको)	के.जी.	१४०	१४०	१४०
४०.०८	कोल्याक्सीवल गेट	के.जी.	१४०	१४०	१४०
४०.०९	Mild Steel Props for Concreting 2" dia 3.5mm wall thickness and 3.5m-4.0m height	गोटा	२०००	२०००	२०००
४१	रोलिङ सटर				
४१.१	१८ गेजको ब्याकसीट	व.फु.	१६२	१६२	१६२
४१.२	२०गेजको ब्याकसीट	व.फु.	१५८	१५८	१५८
४२	रबरसिल				
४२.१	क्यानल लाईनिङ	मी.	२३८	२३८	२३८
४२.२	गेटको लागि	मी.	२७५	२७५	२७५
	पाइप, फिटिङ तथा टंकी (खानेपानी, सिचाई सम्बन्धि)				
४३	जि. आई पाईप				
४३.०१	१/२"Ø को लाइट	र.मी.	१७६.००	१७६.००	१७६.००
४३.०२	१/२"Ø को मिडियम	र.मी.	२०७.००	२०७.००	२०७.००
४३.०३	१/२"Ø को हेवी	र.मी.	२४४.००	२४४.००	२४४.००
४३.०४	३/४"Ø को लाइट	र.मी.	२४४.००	२४४.००	२४४.००
४३.०५	३/४"Ø को मिडियम	र.मी.	२६२.००	२६२.००	२६२.००
४३.०६	३/४"Ø को हेवी	र.मी.	३११.००	३११.००	३११.००
४३.०७	१"Ø को लाइट	र.मी.	३३५.००	३३५.००	३३५.००
४३.०८	१"Ø को मिडियम	र.मी.	३९६.००	३९६.००	३९६.००
४३.०९	१"Ø को हेवी	र.मी.	४६३.००	४६३.००	४६३.००
४३.१०	१ १/४"Ø को लाइट	र.मी.	४५१.००	४५१.००	४५१.००
४३.११	१ १/४"Ø को मिडियम	र.मी.	५१२.००	५१२.००	५१२.००
४३.१२	१ १/४"Ø को हेवी	र.मी.	५९१.००	५९१.००	५९१.००
४३.१३	१ १/२"Ø को लाइट	र.मी.	५३०.००	५३०.००	५३०.००
४३.१४	१ १/२"Ø को मिडियम	र.मी.	५९२.००	५९२.००	५९२.००
४३.१५	१ १/२"Ø को हेवी	र.मी.	६८३.००	६८३.००	६८३.००
४३.१६	२"Ø को लाइट	र.मी.	६७१.००	६७१.००	६७१.००
४३.१७	२"Ø को मिडियम	र.मी.	८०६.००	८०६.००	८०६.००
४३.१८	२"Ø को हेवी	र.मी.	९९५.००	९९५.००	९९५.००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
४३.१९	२½"Ø को लाइट	र.मी.	९२७.००	९२७.००	९२७.००
४३.२०	२½"Ø को मिडियम	र.मी.	१०३१.००	१०३१.००	१०३१.००
४३.२१	२½"Ø को हेवी	र.मी.	१२४४.००	१२४४.००	१२४४.००
४३.२२	३"Ø को लाइट	र.मी.	१०८५.००	१०८५.००	१०८५.००
४३.२३	३"Ø को मिडियम	र.मी.	१२७४.००	१२७४.००	१२७४.००
४३.२४	३"Ø को हेवी	र.मी.	१४६४.००	१४६४.००	१४६४.००
४३.२५	४"Ø को लाइट	र.मी.	१५५५.००	१५५५.००	१५५५.००
४३.२६	४"Ø को मिडियम	र.मी.	१८९१.००	१८९१.००	१८९१.००
४३.२७	४"Ø को हेवी	र.मी.	२२६९.००	२२६९.००	२२६९.००
४३.२८	५"Ø को लाइट	र.मी.	२४९१.००	२४९१.००	२४९१.००
४३.२९	५"Ø को मिडियम	र.मी.	२६३२.००	२६३२.००	२६३२.००
४३.३०	५"Ø को हेवी	र.मी.	२९६५.००	२९६५.००	२९६५.००
४३.३१	६"Ø को लाइट	र.मी.	२९५७.००	२९५७.००	२९५७.००
४३.३२	६"Ø को मिडियम	र.मी.	३१८३.००	३१८३.००	३१८३.००
४३.३३	६"Ø को हेवी	र.मी.	३३५७.००	३३५७.००	३३५७.००
४३.३४	८"Ø को लाइट	र.मी.	४१३२.००	४१३२.००	४१३२.००
४३.३५	८"Ø को मिडियम	र.मी.	४८७०.००	४८७०.००	४८७०.००
४३.३६	८"Ø को हेवी	र.मी.	५१७५.२४	५१७५.२४	५१७५.२४
४४	एम्. एस. केसिड पाईप र फिटिङहरू				
४३.३७	३०० मि मि Ø केसिड पाईप	मी.	१३०००	१३०००	१३०००
४४.०१	२५० मि मि Ø केसिड पाईप	मी.	११०००	११०००	११०००
४४.०२	१५० मि मि Ø केसिड पाईप	मी.	२९५०	२९५०	२९५०
४४.०३	१५० मि मि Ø स्लटेड स्कीन पाइप	मी.	४१००	४१००	४१००
४४.०४	२०० मि मि Ø केसिड पाईप	मी.	६३५०	६३५०	६३५०
४४.०५	१०० मि मि Ø केसिड पाईप	मी.	१९००	१९००	१९००
४४.०६	१२५ मि मि Ø केसिड पाईप	मी.	२५९०	२५९०	२५९०
४४.०७	१२०० मि मि Ø स्लटेड स्कीन पाइप	मी.	६०००	६०००	६०००
४४.०८	१५० मि मि Ø स्लटेड स्कीन पाइप	मी.	८५००	८५००	८५००
४४.०९	200mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	२१५००	२१५००	२१५००
४४.१०	150mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	१७५००	१७५००	१७५००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
४४.११	200mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	१०५००	१०५००	१०५००
४४.१२	150mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	८५००	८५००	८५००
४४.१३	MS Reducer 250/200 mm	गोटा	७५००	७५००	७५००
४४.१४	MS Reducer 250/150 mm	गोटा	७९००	७९००	७९००
४४.१५	MS Reducer 200/150 mm	गोटा	६०००	६०००	६०००
४४.१६	Casing Shoe 5" dia	गोटा	४५००	४५००	४५००
४४.१७	Casing Shoe 6" dia	गोटा	८०००	८०००	८०००
४४.१८	Casing Shoe 8" dia	गोटा	१५०००	१५०००	१५०००
४४.१९	150mm dia. .30*.50m Elbow	गोटा	२६२५	२६२५	२६२५
४४.२०	150mm dia.Non Return Valve	गोटा	१८३७५	१८३७५	१८३७५
४४.२१	150mm dia. Flange	गोटा	२१००	२१००	२१००
४४.२२	150mm dia. .45*.15m Tee	गोटा	३१५०	३१५०	३१५०
४४.२३	150mm dia. Sluice Valve	गोटा	१८३७५	१८३७५	१८३७५
४४.२४	150mm dia. .3*.3m Bend	गोटा	२६२५	२६२५	२६२५
४४.२५	200mm dia. .60*.40m Tee	गोटा	५२५०	५२५०	५२५०
४४.२६	200mm dia. Flange	गोटा	२६२५	२६२५	२६२५
४४.२७	250mm dia. Flange	गोटा	३६७५	३६७५	३६७५
४४.२८	200mm dia. Sluice Valve	गोटा	२८८७५	२८८७५	२८८७५
४४.२९	200mm dia. .3*.3m Elbow	गोटा	४२००	४२००	४२००
४४.३०	100mm dia.Non Return Valve (Wt min ^m 10Kg)	गोटा	१३१२५	१३१२५	१३१२५
४४.३१	100mm dia. .15*.15m Elbow	गोटा	१५७५	१५७५	१५७५
४४.३२	100mm dia. Sluice Valve	गोटा	१३१२५	१३१२५	१३१२५
४४.३३	100mm dia. Flange (Wt. min ^m 6 kg)	गोटा	१३१२	१३१२	१३१२
४४.३४	४" एम्. एस्. पाईप Screen Knock	गोटा	२१००	२१००	२१००
४४.३५	माछा छेक्ने जाली स्टेनलेस स्टीलको ५ मि.मी. मेश भएको	व.मी.	५७७	५७७	५७७
४४.३६	माछा छेक्ने जाली मशीनमेड जी.आई. ५ सेमी. मेश भएको	व.मी.	५२५	५२५	५२५
४४.३७	२०० मि.मि. Alpha Alpha Valve	गोटा	४७२५	४७२५	४७२५
४४.३८	बटरफ्लाई भल्भ ६"	गोटा	७८७५	७८७५	७८७५
४४.३९	बटरफ्लाई भल्भ ४"	गोटा	६८२५	६८२५	६८२५
४४.४०	आपतकालिन नदी नियन्त्रण कार्यका लागि नाइलन जाली ६x३x०.७५ मि., २०x२० से.मी. ६ मि.मि dia ७.२५ kg	गोटा	२२००	२२००	२२००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
४४.४१	10mm joint filler for canal lining	ब.मि.	१२००	१२००	१२००
४४.४२	Polysulphide joint sealer for cana lining	मि.	८००	८००	८००
४४.४३	Supplying, fitting, fixing and installation complete work of Steel Gate for HR/CR	के.जी.	३००	३००	३००
४४.४४	PVC Water stopper 230mm width 25mm dia center bub	मि.	११००	११००	११००
४५.०	यू.पी.भि.सि. फिटिंग				
४५.०१	Tee ND 16*16*16 cm (4 Kg/sq.cm)	गोटा	१२००	१२००	१२००
४५.०२	Tee ND 20*20*20 cm (4 Kg/sq.cm)	गोटा	२२५०	२२५०	२२५०
४५.०३	Bend ND 200 mm (4 Kg/sq.cm)	गोटा	१७५०	१७५०	१७५०
४५.०४	Bend ND 160 mm (4 Kg/sq.cm)	गोटा	७१०	७१०	७१०
४५.०५	Reducer ND 200 mm (4 Kg/sq.cm)	गोटा	१२५०	१२५०	१२५०
४५.०६	Coupler ND 160 mm (4 Kg/sq.cm)	गोटा	६५०	६५०	६५०
४५.०७	Coupler ND 200 mm (4 Kg/sq.cm)	गोटा	८५०	८५०	८५०
४५.०८	End Cap ND 200 mm (4 Kg/sq.cm)	गोटा	१०००	१०००	१०००
४५.०९	End Cap ND 160 mm (4 Kg/sq.cm)	गोटा	८००	८००	८००
४५.१०	PVC Coupler Flange 6" dia	गोटा	२५००	२५००	२५००
४५.११	Solvent Cement	लि.	५५०	५५०	५५०
४५.१२	४"Ø सक्सन पाइप	र.मी.	७१०	७१०	७१०
४५.१३	४"Ø सर्भिस पाइप	के.जी.	२७५	२७५	२७५
४५.१४	४"Ø भल्व बेण्ड	सेट	२५००	२५००	२५००
४६.०	कस टी				
४६.१०	1½"Ø मिडियम जि.आई. ६ मुखे	गोटा	३३३५	३३३५	३३३५
४६.२०	1½"Ø " ४ मुखे	गोटा	१९३५	१९३५	१९३५
४७.०	जि.आई. सकेट				
४७.०१	½"Ø को मिडियम	गोटा	४३	४३	४३
४७.०२	¾"Ø को मिडियम	गोटा	६६	६६	६६
४७.०३	१"Ø को मिडियम	गोटा	८६	८६	८६
४७.०४	१¼"Ø को मिडियम	गोटा	१४०	१४०	१४०
४७.०५	१½"Ø को मिडियम	गोटा	१९०	१९०	१९०
४७.०६	२"Ø को मिडियम	गोटा	२८०	२८०	२८०
४७.०७	2½"Ø को मिडियम	गोटा	४७०	४७०	४७०
४७.०८	३"Ø को मिडियम	गोटा	६३०	६३०	६३०
४७.०९	४"Ø को मिडियम	गोटा	१०००	१०००	१०००
४८.०	जि.आई युनियन				
४८.०१	½"Ø को मिडियम	गोटा	१३०	१३०	१३०
४८.०२	¾"Ø को मिडियम	गोटा	१८५	१८५	१८५
४८.०३	१"Ø को मिडियम	गोटा	२४५	२४५	२४५
४८.०४	१¼"Ø को मिडियम	गोटा	३७०	३७०	३७०
४८.०५	१½"Ø को मिडियम	गोटा	४७५	४७५	४७५

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
४८.०६	२"Ø को मिडियम	गोटा	६७५	६७५	६७५
४८.०७	२½"Ø को मिडियम	गोटा	७९०	७९०	७९०
४८.०८	३"Ø को मिडियम	गोटा	१७८०	१७८०	१७८०
४८.०९	४"Ø को मिडियम	गोटा	२४३०	२४३०	२४३०
४९	जि.आई. निप्पल				
४९.०१	½"Ø को मिडियम ६"	गोटा	८५	८५	८५
४९.०२	¾"Ø को मिडियम ६"	गोटा	११५	११५	११५
४९.०३	१"Ø को मिडियम ६"	गोटा	१५०	१५०	१५०
४९.०४	१¼"Ø को मिडियम ६"	गोटा	२१०	२१०	२१०
४९.०५	१½"Ø को मिडियम ६"	गोटा	२६०	२६०	२६०
४९.०६	२"Ø को मिडियम ६"	गोटा	३६९	३६९	३६९
४९.०७	२½"Ø को मिडियम ६"	गोटा	६५०	६५०	६५०
४९.०८	३"Ø को मिडियम ६"	गोटा	९७५	९७५	९७५
४९.०९	४"Ø को मिडियम ६"	गोटा	११५०	११५०	११५०
४९.१०	GI nipple 3"long	गोटा	९०	९०	९०
४९.११	15 mm Φ Medium	गोटा	१२५	१२५	१२५
४९.१२	20 mm Φ Medium	गोटा	१६९	१६९	१६९
४९.१३	25 mm Φ Medium	गोटा	२२५	२२५	२२५
४९.१४	32 mm Φ Medium	गोटा	२८१	२८१	२८१
४९.१५	40 mm Φ Medium	गोटा	३९३	३९३	३९३
४९.१६	50 mm Φ Medium	गोटा	५६८	५६८	५६८
४९.१७	65 mm Φ Medium	गोटा	८५२	८५२	८५२
४९.१८	80 mm Φ Medium	गोटा	१००५	१००५	१००५
५०	जि.आई. टी				
५०.०१	½"Ø को मिडियम	गोटा	७४	७४	७४
५०.०२	¾"Ø को मिडियम	गोटा	१२०	१२०	१२०
५०.०३	१"Ø को मिडियम	गोटा	१६०	१६०	१६०
५०.०४	१¼"Ø को मिडियम	गोटा	२६३	२६३	२६३
५०.०५	१½"Ø को मिडियम	गोटा	३१६	३१६	३१६
५०.०६	२"Ø को मिडियम	गोटा	४९५	४९५	४९५
५०.०७	२½"Ø को मिडियम	गोटा	१०४८	१०४८	१०४८
५०.०८	३"Ø को मिडियम	गोटा	१५९५	१५९५	१५९५
५०.०९	४"Ø को मिडियम	गोटा	२८५५	२८५५	२८५५
५१.००	GI unequal Tee				
५१.०१	20x20x15 mm Φ	गोटा	१६०	१६०	१६०
५१.०२	25x25x15 mm Φ	गोटा	२१७	२१७	२१७
५१.०३	32x32x15 mm Φ	गोटा	३१६	३१६	३१६
५१.०४	40x40x15 mm Φ	गोटा	४१८	४१८	४१८

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
५१.०५	50x50x15 mm Φ	गोटा	६६२	६६२	६६२
५१.०६	65x65x15 mm Φ	गोटा	१२४२	१२४२	१२४२
५१.०७	80x80x15 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.०८	100x100x15 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.०९	50x50*25 mm Φ	गोटा	६६२	६६२	६६२
५१.१०	50x50*32 mm Φ	गोटा	६६२	६६२	६६२
५१.११	50*50 *40mm Φ	गोटा	६६२	६६२	६६२
५१.१२	65x65x25mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१३	65*65*32mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१४	65*65*40mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१५	65*65*50mm Φ	गोटा	१२४२	१२४२	१२४२
५१.१६	80x80x25 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१७	80x80x32 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१८	80x80x40 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.१९	80x80x50 mm Φ	गोटा	१७८२	१७८२	१७८२
५१.२०	80x80x65mm Φ	गोटा	१७८२	१७८२	१७८२
५१.२१	100*100x25 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२२	100*100*32 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२३	100*100*40 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२४	100*100*50 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२५	100*100*65 mm Φ	गोटा	२९०६	२९०६	२९०६
५१.२६	100*100*80 mm Φ	गोटा	२९०६	२९०६	२९०६
५२	ग्लोब भल्भ				
५२.०१	1/2" Φ को मिडियम	गोटा	७८०	७८०	७८०
५२.०२	3/4" Φ को मिडियम	गोटा	१३२४	१३२४	१३२४
५२.०३	१" Φ को मिडियम	गोटा	१८८०	१८८०	१८८०
५२.०४	१ 1/4" Φ को मिडियम	गोटा	३६६०	३६६०	३६६०
५२.०५	१ 1/2" Φ को मिडियम	गोटा	४६५०	४६५०	४६५०
५२.०६	२" Φ को मिडियम	गोटा	६१७५	६१७५	६१७५
५२.०७	2 1/2" Φ को मिडियम	गोटा	१४९४५	१४९४५	१४९४५
५२.०८	३" Φ को मिडियम	गोटा	२१३६५	२१३६५	२१३६५
५२.०९	४" Φ को मिडियम	गोटा	३६४०७	३६४०७	३६४०७
५३	गेट भल्भ (ब्रास)				
५३.०१	1/2" Φ को मिडियम	गोटा	८४४	८४४	८४४
५३.०२	3/4" Φ को मिडियम	गोटा	११७५	११७५	११७५
५३.०३	१" Φ को मिडियम	गोटा	१७६०	१७६०	१७६०
५३.०४	१ 1/4" Φ को मिडियम	गोटा	२६९०	२६९०	२६९०
५३.०५	१ 1/2" Φ को मिडियम	गोटा	३६६०	३६६०	३६६०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
५३.०६	२"Ø को मिडियम	गोटा	५५४०	५५४०	५५४०
५३.०७	२½"Ø को मिडियम	गोटा	११६५२	११६५२	११६५२
५३.०८	३"Ø को मिडियम	गोटा	१६२०५	१६२०५	१६२०५
५३.०९	४"Ø को मिडियम	गोटा	३११७७	३११७७	३११७७
५४	एयर भल्व				
५४.०१	½"Ø को मिडियम	गोटा	४६८०	४६८०	४६८०
५४.०२	¾"Ø को मिडियम	गोटा	४८६०	४८६०	४८६०
५४.०३	१"Ø को मिडियम	गोटा	७०९६	७०९६	७०९६
५५	जि.आई. रिड्यूसर				
५५.०१	½ X ¾" को	गोटा	७३	७३	७३
५५.०२	¾ X १" को	गोटा	९५	९५	९५
५५.०३	१ X १¼" को	गोटा	१४७	१४७	१४७
५५.०४	१¼ X १½" को	गोटा	१८०	१८०	१८०
५५.०५	१½ X २" को	गोटा	३१५	३१५	३१५
५५.०६	२ X २½" को	गोटा	४२२	४२२	४२२
५५.०७	२½ X ३" को	गोटा	७९०	७९०	७९०
५५.०८	३ X ४" को	गोटा	११००	११००	११००
५६	जि.आई. एल्बो				
५६.०१	½"Ø को मिडियम	गोटा	४८	४८	४८
५६.०२	¾"Ø को मिडियम	गोटा	७४	७४	७४
५६.०३	१"Ø को मिडियम	गोटा	११८	११८	११८
५६.०४	१¼"Ø को मिडियम	गोटा	१८०	१८०	१८०
५६.०५	१½"Ø को मिडियम	गोटा	२५५	२५५	२५५
५६.०६	२"Ø को मिडियम	गोटा	३८८	३८८	३८८
५६.०७	२½"Ø को मिडियम	गोटा	९००	९००	९००
५६.०८	३"Ø को मिडियम	गोटा	११००	११००	११००
५६.०९	४"Ø को मिडियम	गोटा	२२००	२२००	२२००
५७	जि.आई. इन्डक्याप				
५७.०१	½" को मिडियम	गोटा	४८	४८	४८
५७.०२	¾" को मिडियम	गोटा	७५	७५	७५
५७.०३	१" को मिडियम	गोटा	९५	९५	९५
५७.०४	१¼" को मिडियम	गोटा	१८५	१८५	१८५
५७.०५	१½" को मिडियम	गोटा	२०२	२०२	२०२
५७.०६	२" को मिडियम	गोटा	२६०	२६०	२६०
५७.०७	२½" को मिडियम	गोटा	५५५	५५५	५५५
५८	फलामे मेनहोल कवर				
५८.०१	६० से.मी. व्यासको (खानेपानीको लागि)	गोटा	२४५०	२४५०	२४५०
५८.०२	९० से.मी. व्यासको (खानेपानीको लागि)	गोटा	२९५०	२९५०	२९५०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
५८.०३	CI Manhole Cover 400mmx400mm Square shape 14 Kg weight	गोटा	३०००	३०००	३०००
५८.०४	CI Manhole Cover 600mmx600mm Square shape 22 Kg weight	गोटा	५५००	५५००	५५००
५८.०५	CI Manhole Cover Round 450mm 49 Kg weight	गोटा	१००००	१००००	१००००
५८.०६	CI Manhole Cover Round 500mm 50 Kg weight	गोटा	१०५००	१०५००	१०५००
५८.०७	CI Manhole Cover Round 600mm 90 Kg weight	गोटा	१९०००	१९०००	१९०००
५८.०८	CI Manhole Cover Round 750mm 115 Kg weight	गोटा	२३०००	२३०००	२३०००
५९	दुटी				
५९.०१	पित्तलको हेभी	गोटा	७००	७००	७००
५९.०२	पित्तलको लाईट	गोटा	४९०	४९०	४९०
५९.०३	प्लास्टिकको	गोटा	१६०	१६०	१६०
६०	पोलिथिनको पानी टंकी	लिट्र	१३	१३	१३
६१	स्टिलको पानी टंकी	लिट्र	२३	२३	२३
६२	हेण्डपम्प गाड्ने कार्य				
६२.०१	६० फीटसम्म गहिरो	फिट	४३२६	४३२६	४३२६
६२.०२	६० फीटभन्दा बढी गहिरो	फिट	६६	६६	६६
६३	हेण्डपम्प				
६३.०१	४ नं. को लाइट	गोटा	१८०२	१८०२	१८०२
६३.०२	४ नं. को हेभी	गोटा	२५२३	२५२३	२५२३
६३.०३	६ नं. को हेभी	गोटा	३२९६	३२९६	३२९६
६३.०४	६ नं. को लाईट	गोटा	३६०५	३६०५	३६०५
६४	फ्लोट भल्भ				
६४.०१	1/2"Ø को	गोटा	२८६८	२८६८	२८६८
६४.०२	3/4"Ø को	गोटा	३३२६	३३२६	३३२६
६४.०३	१"Ø को	गोटा	४३६२	४३६२	४३६२
६४.०४	१ 1/4"Ø को	गोटा	९२७०	९२७०	९२७०
६४.०५	१ 1/2"Ø को	गोटा	१२७१०	१२७१०	१२७१०
६४.०६	Brass 15 mm Ø Gun Metal Ferrule	गोटा	१०८३	१०८३	१०८३
६४.०७	Brass Bib Cok Heavy 15 mm Ø(400 gm)	गोटा	७५०	७५०	७५०
६४.०८	15 mm Ø Water Meter Rotory Piston type	गोटा	२५००	२५००	२५००
६४.०९	Brass 15 mm Ø regulator With Key	गोटा	१४१०	१४१०	१४१०
६५	जि.आई/एच.डि.पि फ्लेन्ज सेट				
६५.०१	1/2"Ø को	गोटा	५०९	५०९	५०९
६५.०२	3/4"Ø को	गोटा	५६६	५६६	५६६
६५.०३	१"Ø को	गोटा	७३६	७३६	७३६
६५.०४	१ 1/4"Ø को	गोटा	९०६	९०६	९०६

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
६५.०५	१½"Ø को	गोटा	११८९	११८९	११८९
६५.०६	२"Ø को	गोटा	१५४५	१५४५	१५४५
६५.०७	२½"Ø को	गोटा	१९०५	१९०५	१९०५
६५.०८	३"Ø को	गोटा	२३१७	२३१७	२३१७
६५.०९	४"Ø को	गोटा	२८३२	२८३२	२८३२
६५.१०	100/125 mm Φ	गोटा	३३५०	३३५०	३३५०
६५.११	125/140mm Φ	गोटा	४०००	४०००	४०००
६५.१२	150/160 mm Φ	गोटा	४५००	४५००	४५००
६५.१३	150/180 mm Φ	गोटा	४७५०	४७५०	४७५०
६५.१४	150/200 mm Φ	गोटा	५०००	५०००	५०००
६५.१५	200/225 mm Φ	गोटा	६०००	६०००	६०००
६५.१६	200/250 mm Φ	गोटा	६५००	६५००	६५००
६५.१७	250/280 mm Φ	गोटा	८०००	८०००	८०००
६६.००	HDP/HDP (MS)flange set With Adepter Nut Bolt And Gasket				
६६.०१	63mm Φ	गोटा	२२५०	२२५०	२२५०
६६.०२	75mm Φ	गोटा	२७५०	२७५०	२७५०
६६.०३	90 mm Φ	गोटा	३२५०	३२५०	३२५०
६६.०४	110 mm Φ	गोटा	३३५०	३३५०	३३५०
६६.०५	125 mm Φ	गोटा	४०००	४०००	४०००
६६.०६	140mm Φ	गोटा	४५००	४५००	४५००
६६.०७	160 mm	गोटा	४७५०	४७५०	४७५०
६६.०८	180 mm Φ	गोटा	५०००	५०००	५०००
६६.०९	200 mm Φ	गोटा	६०००	६०००	६०००
६६.१०	225 mm Φ	गोटा	६५००	६५००	६५००
६६.११	250 mm Φ		८०००	८०००	८०००
६७.००	GI /GI flange set				
६७.०१	50mm Φ	गोटा	१३००	१३००	१३००
६७.०२	65mm Φ	गोटा	१५००	१५००	१५००
६७.०३	80 mm Φ	गोटा	१८००	१८००	१८००
६७.०४	100 mm Φ	गोटा	२२००	२२००	२२००
६७.०५	125mm Φ	गोटा	२६००	२६००	२६००
६७.०६	150 mm Φ	गोटा	३०००	३०००	३०००
६७.०७	200 mm Φ	गोटा	५०००	५०००	५०००
६७.०८	250mm Φ	गोटा	६०००	६०००	६०००
६८	ब्रास युनियन				
६८.०१	½"Ø को	गोटा	१९०	१९०	१९०
६८.०२	¾"Ø को	गोटा	३९०	३९०	३९०
६८.०३	१"Ø को	गोटा	४७५	४७५	४७५

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
६८.०४	१ ¼" Ø को	गोटा	६७५	६७५	६७५
६८.०५	१ ½" Ø को	गोटा	९८०	९८०	९८०
६८.०६	२" Ø को	गोटा	१६१५	१६१५	१६१५
६८.०७	२ ½" Ø को	गोटा	५१३९	५१३९	५१३९
६८.०८	३" Ø को	गोटा	७६९६	७६९६	७६९६
६८.०९	४" Ø को	गोटा	११७३१	११७३१	११७३१
६८.१०	५" Ø को	गोटा	१६४२८	१६४२८	१६४२८
६८.११	एच.डी.पि.ई. पाईप NS	के.जी.	३००	२९०	२९०
६९	DI Pipe Double Flange Pipe k 9 Series				
६९.०१	80 mm dia	Mrt	४०००	४०००	४०००
६९.०२	100mm dia	Mrt	५०००	५०००	५०००
६९.०३	125mm dia	Mrt	६१००	६१००	६१००
६९.०४	150 mm dia	Mrt	७०००	७०००	७०००
६९.०५	200mm dia	Mrt	९०००	९०००	९०००
६९.०६	250mm dia	Mrt	१३०००	१३०००	१३०००
६९.०७	300mm dia	Mrt	१७५००	१७५००	१७५००
७०.००	DI Pipe Spigot Pipe C-40				
७०.०१	80 mm dia	Mrt	२४५०	२४५०	२४५०
७०.०२	100mm dia	Mrt	२७५०	२७५०	२७५०
७०.०३	125mm dia	Mrt	३७५०	३७५०	३७५०
७०.०४	150 mm dia	Mrt	५५००	५५००	५५००
७०.०५	200mm dia	Mrt	७०००	७०००	७०००
७०.०६	250mm dia	Mrt	९०००	९०००	९०००
७०.०७	300mm dia	Mrt	११५००	११५००	११५००
७१.००	CI Sluice valve				
७१.१०	65 mm Dia	No	११५००	११५००	११५००
७१.११	80 mm Dia	No	१३५००	१३५००	१३५००
७१.१२	100mm Dia	No	१७५००	१७५००	१७५००
७१.१३	125mm Dia	No	२१५००	२१५००	२१५००
७१.१४	150mm Dia	No	२७५००	२७५००	२७५००
७१.१५	200mm Dia	No	३७५००	३७५००	३७५००
७१.१६	250mm Dia	No	५७६००	५७६००	५७६००
७१.१७	300mm Dia	No	८९५००	८९५००	८९५००
७२.००	DI Sluice valve				
७२.०१	65 mm Dia	No	१७५००	१७५००	१७५००
७२.०२	80 mm Dia	No	२५५००	२५५००	२५५००
७२.०३	100mm Dia	No	३५०००	३५०००	३५०००
७२.०४	125mm Dia	No	४५०००	४५०००	४५०००

क्र.सं.	विवरण	एकाई	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
७२.०५	150mm Dia	No	५२५००	५२५००	५२५००
७२.०६	200mm Dia	No	७००००	७००००	७००००
७२.०७	250mm Dia	No	१०५०००	१०५०००	१०५०००
७२.०८	300mm Dia	No	१५१०००	१५१०००	१५१०००
७३.००	DI Duck foot bend Double Flange				
७३.०१	100mm Dia	No	७५००	७५००	७५००
७३.०२	125mm Dia	No	१२५००	१२५००	१२५००
७३.०३	150mm Dia	No	१५५००	१५५००	१५५००
७३.०४	200mm Dia	No	२१०००	२१०००	२१०००
७३.०५	250mm Dia	No	३५५००	३५५००	३५५००
७३.०६	300mm Dia	No	४५०००	४५०००	४५०००
७४.००	DI Double Flange bend 90°				
७४.०१	80mm Dia	No	५०००	५०००	५०००
७४.०२	100mm Dia	No	६०००	६०००	६०००
७४.०३	125mm Dia	No	७०००	७०००	७०००
७४.०४	150mm Dia	No	९०००	९०००	९०००
७४.०५	200mm Dia	No	१५०००	१५०००	१५०००
७४.०६	250mm Dia	No	२१०००	२१०००	२१०००
७४.०७	300mm Dia	No	२७५००	२७५००	२७५००
७४.०८	DI Reducer	No			
७४.०९	300mm *250 mm	No	२५५००	२५५००	२५५००
७४.१०	250mm *200mm	No	२००००	२००००	२००००
७४.११	200mm *150 mm	No	१५०००	१५०००	१५०००
७४.१२	150mm *125mm	No	१४५००	१४५००	१४५००
७४.१३	150mm *100mm	No	१४०००	१४०००	१४०००
७५.००	C.I None return Valve				
७५.०१०	80mm Dia	No	१३५००	१३५००	१३५००
७५.०२०	100mm Dia	No	१७५००	१७५००	१७५००
७५.०३०	125mm Dia	No	२१५००	२१५००	२१५००
७५.०४०	150mm Dia	No	२५५००	२५५००	२५५००
७५.०५०	200mm Dia	No	३५५००	३५५००	३५५००
७५.०६०	250mm Dia	No	४५५००	४५५००	४५५००
७५.०७०	300mm Dia	No	५९०००	५९०००	५९०००
७६.००	Cast Steel None return Valve				
७६.०१०	80mm Dia	No	६५५००	६५५००	६५५००
७६.०२०	100mm Dia	No	७५५००	७५५००	७५५००
७६.०३०	125mm Dia	No	८१५००	८१५००	८१५००
७६.०४०	150mm Dia	No	८९५००	८९५००	८९५००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
७७.००	DI All Flange Tee				
७७.१०	80mm Dia	No	७५००	७५००	७५००
७७.११	100mm Dia	No	१२५००	१२५००	१२५००
७७.१२	125mm Dia	No	१५५००	१५५००	१५५००
७७.१३	150mm Dia	No	१७५००	१७५००	१७५००
७७.१४	200mm Dia	No	३२५००	३२५००	३२५००
७७.१५	250mm Dia	No	४१५००	४१५००	४१५००
७७.१६	300mm Dia	No	५९५००	५९५००	५९५००
७८.००	CI Mechanical Coupling				
७८.०१	150 mm dia	No	११५००	११५००	११५००
७८.०२	200 mm dia	No	१७५००	१७५००	१७५००
७८.०३	250 mm dia	No	२७५००	२७५००	२७५००
७८.०४	300 mm dia	No	४१५००	४१५००	४१५००
७९.००	CI Bell Mouth one side flange				
७९.०१	150 mm dia	No	१०५००	१०५००	१०५००
७९.०२	200 mm dia	No	१५५००	१५५००	१५५००
७९.०३	250 mm dia	No	२१५००	२१५००	२१५००
७९.०४	300 mm dia	No	३००००	३००००	३००००
८०.००	Quick Repair Joint for HDPE Pipe				
८०.०१	90 mm dia	No	७०००	७०००	७०००
८०.०२	110mm dia	No	८०००	८०००	८०००
८०.०३	125mm dia	No	१००००	१००००	१००००
८०.०४	140 mm dia	No	१२०००	१२०००	१२०००
८०.०५	160mm dia	No	१४०००	१४०००	१४०००
८०.०६	180mm dia	No	१७५००	१७५००	१७५००
८०.०७	200mm dia	No	२००००	२००००	२००००
८०.०८	250mm Dia	No	२३०००	२३०००	२३०००
८०.०९	Flow meter Water Meter				
८०.१०	80mm Dia	No	५५०००	५५०००	५५०००
८०.११	100mm Dia	No	६५०००	६५०००	६५०००
८०.१२	125mm Dia	No	७५०००	७५०००	७५०००
८०.१३	150mm Dia	No	८५०००	८५०००	८५०००
८०.१४	200mm Dia	No	१०५०००	१०५०००	१०५०००
८०.१५	250mm Dia	No	१३५०००	१३५०००	१३५०००
८०.१६	300mm Dia	No	१७५०००	१७५०००	१७५०००
८१.००	DI unequal Tee With flange				
८१.०१	125x125x100 mm Φ	No	१७५००	१७५००	१७५००
८१.०२	125x125x80 mm Φ	No	१७५००	१७५००	१७५००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
८१.०३	150x150x125 mm Φ	No	२१५००	२१५००	२१५००
८१.०४	150x150x100 mm Φ	No	२२५००	२२५००	२२५००
८१.०५	150x150x80mm Φ	No	२३५००	२३५००	२३५००
८१.०६	200x200x150 mm Φ	No	३७५००	३७५००	३७५००
८१.०७	200x200x125 mm Φ	No	४००००	४००००	४००००
८१.०८	200x200x100 mm Φ	No	४२५००	४२५००	४२५००
८१.०९	250x250x200 mm Φ	No	५७५००	५७५००	५७५००
८१.१०	250x250x150mm Φ	No	६००००	६००००	६००००
८१.११	250x250x125 mm Φ	No	६५०००	६५०००	६५०००
८१.१२	250x250x100 mm Φ	No	७००००	७००००	७००००
८१.१३	Rubber Gasket	Kg	३५०	३५०	३५०
८१.१४	Nut Bolt (Different size)	Kg	२५०	२५०	२५०
८१.१५	MS Saddle Clamps Different Size with nut bolt all complete	No	४५००	४५००	४५००
८२.००	HDPE Saddle Clamp				
८२.०१	160*160*15 Dia (HDPE*HDPE)	No	१२५०	१२५०	१२५०
८२.०२	140*140*15 Dia (HDPE*HDPE)	No	११००	११००	११००
८२.०३	125*125*15 Dia (HDPE*HDPE)	No	१०००	१०००	१०००
८२.०४	110*110*15 Dia (HDPE*HDPE)	No	६५०	६५०	६५०
८२.०५	90*90*15 Dia (HDPE*HDPE)	No	६५०	६५०	६५०
८२.०६	75*75*15 Dia (HDPE*HDPE)	No	४५०	४५०	४५०
८२.०७	63*63*15 Dia (HDPE*HDPE)	No	४५०	४५०	४५०
८२.०८	50*50*15 Dia (HDPE*HDPE)	No	३५०	३५०	३५०
८२.०९	40*40*15 Dia (HDPE*HDPE)	No	३५०	३५०	३५०
८२.१०	32*32*15 Dia (HDPE*HDPE)	No	२५०	२५०	२५०
८३.००	MS Flange Cutting, Welding, Grading, Installation				
८३.०१	80mm Dia	No	७५०	७५०	७५०
८३.०२	100mm Dia	No	१०००	१०००	१०००
८३.०३	125mm Dia	No	१३५०	१३५०	१३५०
८३.०४	150mm Dia	No	१५५०	१५५०	१५५०
८३.०५	200mm Dia	No	२२५०	२२५०	२२५०
८३.०६	250mm Dia	No	३०००	३०००	३०००
८३.०७	300mm Dia	No	५०००	५०००	५०००
८३.०८	250 mm dia Top surface plate	No	३५०००	३५०००	३५०००
८३.०९	pressure gage	No	५५००	५५००	५५००
८३.१०	Chain Pulley 3 ton	No	४५०००	४५०००	४५०००
८३.११	4" Pipe Clamp	No	६५००	६५००	६५००
८३.१२	Wire Rope for Pump Lowering	Mrt	५५००	५५००	५५००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
८३.१३	Distribution board	Set	७५०००	७५०००	७५०००
८३.१४	OHT Lighting Arrestor	Set	२५०००	२५०००	२५०००
८३.१५	OHT Water level indicator	Set	६५०००	६५०००	६५०००
	औजार/उपकरण (खानेपानी तथा अन्य कार्य सम्बन्धि)				
८१	गल (सव्वल)	गोटा	११३३	११८९	११८९
८२	फरुवा	गोटा	३२४	३४०	३४०
८३	दाते, नग्रे	गोटा	५८७	६१६	६१६
८४	धुर्मुस ५ केजी	गोटा	१०३०	१०८०	१०८०
८५	हजारी	गोटा	८५४	८९५	८९५
८६	बासको टोकरी	गोटा	१८५	१९४	१९४
८७	हसिया				
८७.१	क) सानो	गोटा	२६७	२८०	२८०
८७.२	ख) ठुलो	गोटा	८६५	९००	९००
८८	ठुलो क्रोवाल	गोटा	५२५३	५५१५	५५१५
८९	हतौडा	के.जी.	२३६	२४५	२४५
९०	हावा भर्ने पम्प (खुट्टाले)	गोटा	१०८१	११३५	११३५
९१	हावा भर्ने पम्प (हातले)	गोटा	३२४	३४०	३४०
९२	बन्चरो	गोटा	१८५४	१९४५	१९४५
९३	सेफ्टी भेष्ट पहेलो रंगको (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	५६६	५९०	५९०
९४	हेल्मेट (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	४५३	४७५	४७५
९५	मास्क	गोटा	५९	६०	६०
९६	गम बुट	गोटा	८२४	८६५	८६५
९७	कपडाको जुता	गोटा	७२१	७५७	७५७
९८	रेनकोट	गोटा	२५७५	२७००	२७००
९९	कडा पन्जा	गोटा	३०९	३२४	३२४
१००	सन ग्लास	गोटा	६१८	६४५	६४५
१०१	पाँच ली. को प्लाष्टिक जेरीकेन	गोटा	१२३	१२९	१२९
१०२	बेल्टा	गोटा	६६९	७००	७००
१०३	गैटी	गोटा	७२१	५७५	५७५
१०४	कोदालो/फाउडो	गोटा	६१८	६४५	६४५
१०५	रोड डिभाइडरका लागि प्रयोग हुने सिन्थेटिक सेफ्टी कोन	गोटा	६१८	६४५	६४५
१०६	फोर्कड हेरो	गोटा	२५७	२६५	२६५
१०७	व्हील बेरो				
१०७.१	क) हलुका	गोटा	७७२५	७७२५	७७२५
१०७.२	ख) हेभी	गोटा	९७८५	९७८५	९७८५
१०८	छिनो १X६ इन्चको	गोटा	३०९	३०९	३०९
१०९	छिनो १X१२ इन्चको	गोटा	४१२	४१२	४१२
११०	घन ५ किलोको	गोटा	९९९	९९९	९९९

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१११	घन १० किलोको	गोटा	१६४८	१६४८	१६४८
११२	हिटिङ प्लेट १०० मि.मि.को	गोटा	७२१	७२१	७२१
११३	हिटिङ प्लेट १५० मि.मि.को	गोटा	१४४२	१४४२	१४४२
११४	टेफ्लोन कभर	मी.	२३९९	२३९९	२३९९
११५	थर्मोकोम चक	गोटा	५४०	५४०	५४०
११६	ब्लो टर्च	गोटा	५९४	५९४	५९४
११७	बर्नर	गोटा	१०८१	१०८१	१०८१
११८	पाईप रेन्च १४ इन्ची	गोटा	६९०	६९०	६९०
११९	पाईप रेन्च १८ इन्ची	गोटा	८४९	८४९	८४९
१२०	पाईप रेन्च २४ इन्ची	गोटा	१५४५	१५४५	१५४५
१२१	पाईप चेन रेन्च ४८ इन्ची	इन्ची	१०२	१०२	१०२
१२२	हेक्सा फेम	गोटा	१३५	१३५	१३५
१२३	हेक्सा ब्लेड	गोटा	२१	२१	२१
१२४	एडजस्टेबल रेन्च	गोटा	६४८	६४८	६४८
१२५	फलामे तसला	गोटा	२१६	२१६	२१६
१२६	कर्नी	गोटा	१२८	१२८	१२८
१२७	रेती	गोटा	३८१	३८१	३८१
१२८	वायर ब्रश	गोटा	७७	७७	७७
१२९	डाई सेट १/२" देखि १" साधारण	गोटा	२५७५	२५७५	२५७५
१३०	डाई सेट १/२" देखि १" Richard or Equivalent	गोटा	३८३६	३८३६	३८३६
१३१	डाई सेट १.२५" देखि २" साधारण	गोटा	४३२६	४३२६	४३२६
१३२	डाई सेट १.२५" देखि २" Richard or Equivalent	गोटा	८१५३	८१५३	८१५३
१३३	डाई सेट टीथ १/२" देखि १" साधारण Richard or Equivalent	गोटा	२६०१	२६०१	२६०१
१३४	डाई सेट टीथ १.२५" देखि २" Richard or Equivalent	गोटा	३५८२	३५८२	३५८२
१३५	डाई टीथ आयल भाँडो समेत	लीटर	५४०	५४०	५४०
१३६	टेबुल भाईस, २"	गोटा	२२६६	२२६६	२२६६
१३७	टेबुल भाईस, ३"	गोटा	२७५८	२७५८	२७५८
१३८	मेजरिङ टेप ५ मिटर	गोटा	२१६	२१६	२१६
१३९	मेजरिङ टेप ३० मिटर	गोटा	७७२	७७२	७७२
१४०	काठे हाते आरी / करौति	गोटा	५१५	५१५	५१५
१४१	टुल बक्स १४x ८x १२ इन्च साइजको	गोटा	२५७५	२५७५	२५७५
१४२	सेनेटरी (सरसफाई) तर्फ				
१४२	युरिनल सेट				
१४२.०१	१०.५"x१४.५"x१२.५" को (राम्रो)	गोटा	१७३२	१७३२	१७३२
१४२.०२	" " (साधारण)	गोटा	११५५	११५५	११५५
१४२.०३	६x३० से.मि. लेडिङ युरिनल (राम्रो)	सेट	२२०५	२२०५	२२०५
१४२.०४	" " (साधारण)	सेट	१२६०	१२६०	१२६०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१४३	सिपी बेण्ड सहितको सावर	गोटा	१४४३	१४४३	१४४३
१४४	तौलिया रड				
१४४.०१	१८"X०.५" (राम्रो)	गोटा	११०२	११०२	११०२
१४४.०२	१८"X०.५" (साधारण)	गोटा	६५६	६५६	६५६
१४५	सी.पी. सोप डिस	गोटा	५५१	५५१	५५१
१४६	१२"X१८" को वाथरुम ऐना	गोटा	११०२	११०२	११०२
१४७	वास वेसिन सेट				
१४७.०१	२०"X१६" को (राम्रो)	सेट	२६२५	२६२५	२६२५
१४७.०२	१६"X२२" को वास वेसिन सेट (राम्रो)	सेट	३६७५	३६७५	३६७५
१४८	लो लेभल सिस्टर्न				
१४८.०१	(राम्रो) सेरामिक	सेट	६८२५	६८२५	६८२५
१४८.०२	लो लेभल सिस्टर्न (प्लास्टीक)	सेट	२३१०	२३१०	२३१०
१४९	एच.डी.पी. कोअल २"Ø को	सेट	६८	६८	६८
१५०	ट्याइलेट सिट (वाटर क्लोसेट)				
१५०.०१	१८" भारती पायदान सहित (ISI)	सेट	२६००	२६००	२६००
१५०.०२	१८" भारती लोकल पायदान सहित	सेट	१५००	१५००	१५००
१५०.०३	उडिसा हिन्दुस्तान टाइप प्यान २१" (ISI)	सेट	२४१५	२४१५	२४१५
१५०.०४	उडिसा हिन्दुस्तान टाइप प्यान २१" (local)	सेट	१२१५	१२१५	१२१५
१५०.०५	कमोड पि वा एस ट्याप (ISI)	सेट	३६००	३६००	३६००
१५०.०६	कमोड पि वा एस ट्याप (local)	सेट	१८५०	१८५०	१८५०
१५०.०७	इकोस्यान प्यान सेट	सेट	१९००	१९००	१९००
१५०.०८	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१९०००	१९०००	१९०००
१५०.०९	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२१०००	२१०००	२१०००
१५०.१०	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	३००००	३००००	३००००
१५१	१ 1/4" सि.पि.पाईप कपलिं समेत	गोटा	९७१	९७१	९७१
१५२	१ 1/4" सि.पि.पाईप पि.वा एस ट्याप	गोटा	११५५	११५५	११५५
१५३	1/2" फेन्सी पिल्ट कक	गोटा	१०५०	१०५०	१०५०
१५४	1/2" Ø ३० " पाईप कनेक्टर	गोटा	२३१	२३१	२३१
१५५	सिङ्ग				
१५५.०१	१८ X २२ X ८ ईन्ची स्टील	गोटा	३२३४	३२३४	३२३४
१५५.०२	१८ X ३८ X ८ ईन्ची स्टील	गोटा	४६२०	४६२०	४६२०
१५५.०३	१८ X २२ X ८ सि, फलामे	गोटा	२३१०	२३१०	२३१०
१५६	1 1/2" वासर कपलिङ्ग	गोटा	५५१	५५१	५५१
१५७	1 1/2" पितलको बिब कक	गोटा	३५०	३५०	३५०
१५८	1/2" सि.पि बिब कक	गोटा	१०००	१०००	१०००

क्र.सं.	विवरण	एकाई	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट	आ. ब. ०८२-८३ को दररेट
१५९	१/२"सि.पि स्टप कक	गोटा	९५०	९५०	९५०
१६०	१/२"कनेक्टर स्टप कक	गोटा	७५०	७५०	७५०
१६१	PVC Pipe and Fittings				
१६१.०१	110 mm dia 4kg/cm ² (6m long)	पीस	३०८०	३०००	३०००
१६१.०२	110 mm dia 4kg/cm ² (3m long)	पीस		१५००	१५००
१६१.०३	75 mm dia 4kg/cm ² (6m long)	पीस	१५५०	१५८४	१५८४
१६१.०४	75 mm dia 4kg/cm ² (3m long)	पीस		७९२	७९२
१६१.०५	50 mm dia 6kg/cm ² (3m long)	पीस		५००	५००
१६१.०६	50mm Bend 87.5*	पीस		७८	७८
१६१.०७	75mm Bend 87.5*	पीस		२१२	२१२
१६१.०८	110mm Bend 87.5*	पीस		३८४	३८४
१६१.०९	50mm Bend 45*	पीस		७३	७३
१६१.१०	75mm Bend 45*	पीस		१८०	१८०
१६१.११	110mm Bend 45*	पीस		३३१	३३१
१६१.१२	50mm Coupler	पीस		७८	७८
१६१.१३	75mm Coupler	पीस		१७४	१७४
१६१.१४	110mm Coupler	पीस		२९२	२९२
१६१.१५	४"Ø को सकेट	पीस	३२०	३२०	३२०
१६१.१६	४"Ø को हर्न वेण्ड	पीस	७८०	७८०	७८०
१६१.१७	४"Ø को वेण्ड	पीस	४३०	४३०	४३०
१६१.१८	४"Ø को टी	पीस	५९०	५९०	५९०
१६१.१९	३"Ø को सकेट	पीस	२१०	२१०	२१०
१६१.२०	३"Ø को वेण्ड	पीस	३३०	३३०	३३०
१६१.२१	३"Ø को टी	पीस	३८०	३८०	३८०
१६२	एच.डी.पि.इ. फिटिङ्ग				
१६२.०१	४"Ø को सकेट	पीस	२१०	२१०	२१०
१६२.०२	४"Ø को हर्न वेण्ड	पीस	४२०	४२०	४२०
१६२.०३	४"Ø को वेण्ड	पीस	३६७	३६७	३६७
	रंगरोगनका सामग्री				
१६३	खाक्सी	गोटा	२७	२७	२७
१६४	गुद	के.जी.	२३०	२३०	२३०
१६५	सरेस	के.जी.	२१९	२१९	२१९
१६६	आक्यालिक डिस्टेम्पर	के.जी.	२०७	२०७	२०७
१६७	वासेबल डिस्टेम्पर	के.जी.	२७५	२७५	२०८
१६८	सिमेण्ट प्राइमर Interior	लिट्र	३९०	३९०	१९२
१६९	सिमेण्ट प्राइमर Exterior	लिट्र			२७८
१६९	तयारी इनामेल पेन्ट	लिट्र	७००	७००	६९५
१७०	Synthetic Enamel Paint	लिट्र			५२४

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१७०	प्राइमर (काठ) सेतो	लिटर	४३०	४३०	३९५
१७१	प्राइमर (काठ) पिंक	लिटर			३५८
१७२	प्राइमर (फलाम)	लिटर	३८०	३८०	३४२
१७३	प्लाष्टिक इमोल्यान पेन्ट (एक्स्टेरियर) राम्रो	लिटर	१०५०	१०५०	१०५०
१७४	प्लाष्टिक इमोल्यान पेन्ट (एक्स्टेरियर) मध्यम	लिटर	८५०	८५०	८५०
१७५	प्लाष्टिक इमोल्यान पेन्ट (इन्टरियर) राम्रो	लिटर	१०९७	१०९७	९८३
१७६	प्लाष्टिक इमोल्यान पेन्ट (इन्टरियर) मध्यम	लिटर	८५०	८५०	५८३
१७७	तयारी अल्मुनिम पेन्ट	लिटर	६५८	६५८	६२५
१७८	वार्निश क्लियर	लिटर	४१५	४१५	४१५
१७९	अलकत्रा पेन्ट (Black Japan)	लिटर	३३०	३३०	३३०
१८०	तारपिन तेल	लिटर	२००	२००	२००
१८१	चुना	के.जी.	२४	२४	२४
१८२	गेरु रंग	के.जी.	५९	५९	५९
१८३	लिन्सीड आयल	लिटर	२२०	२२०	२२०
१८४	चप्रा	के.जी.	७६०	७६०	७६०
१८५	स्प्रीट	लिटर	१७५	१७५	१७५
१८६	स्नोसेम (सिमेन्ट पेन्ट)	के.जी.	८३	८३	८३
१८७	वेदर कोट पेन्ट (राम्रो) NS/IS	लिटर	१२६०	१२६०	१२६०
१८८	वेदर कोट पेन्ट (हल्का) NS/IS	लिटर	८९२	८९२	८९२
१८९	वाटर प्रुफिग कम्पाउण्ड (जापनिज)	के.जी.	३४४	३४४	३४४
१९०	Wall Putty- Inner	के.जी.	४०	४०	४२
१९१	Wall Putty- Water Proof (Outer)	के.जी.	६५	६५	६८
१९२	Plaster of paris (POP)	के.जी.	२५	२५	२६
	कंक्रीट प्रोडक्टस्				
१९३	ह्युम पाईप (ढुवानी बाहेक)				
१९३.०१	३०० Ø को एनपी-३ को (२.५मीटर)	गोटा	१०९२०	१०९२०	१०९२०
१९३.०२	४५० Ø को एनपी-३ को (२.५मीटर)	गोटा	१३६८०	१३६८०	१३६८०
१९३.०३	४५० Ø को एनपी-३ को कोलार	गोटा	१३६७	१३६७	१३६७
१९३.०४	६०० Ø को एनपी-३ को (२.५मीटर)	गोटा	१८६६०	१८६६०	१८६६०
१९३.०५	६०० Ø को एनपी-३ को कोलार	गोटा	१८६०	१८६०	१८६०
१९३.०६	९०० Ø को एनपी-३ को (२.५मीटर)	गोटा	३०६४०	३०६४०	३०६४०
१९३.०७	९०० Ø को एनपी-३ को कोलार	गोटा	३०६४	३०६४	३०६४
१९३.०८	१२०० Ø को एनपी-३ को (२.५मीटर)	गोटा	४२३१०	४२३१०	४२३१०
१९३.०९	१२०० Ø को एनपी-३ को कोलार	गोटा	४२३०	४२३०	४२३०
१९३.१०	१०० Ø को एनपी-२ को (२.५मीटर)	गोटा	२३३०	२३३०	२३३०
१९३.११	१०० Ø को एनपी-२ को कोलार	गोटा	२३३	२३३	२३३
१९३.१२	१५० Ø को एनपी-२ को (२.५मीटर)	गोटा	२६२०	२६२०	२६२०
१९३.१३	१५० Ø को एनपी-२ को कोलार	गोटा	२६०	२६०	२६०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१९३.१४	२०० छ को एनपी-२ को (२.५मीटर)	गोटा	३५००	३५००	३५००
१९३.१५	२०० छ को एनपी-२ को कोलार	गोटा	३५०	३५०	३५०
१९३.१६	२२५ छ को एनपी-२ को (२.५मीटर)	गोटा	४२००	४२००	४२००
१९३.१७	२२५ छ को एनपी-२ को कोलार	गोटा	४२०	४२०	४२०
१९३.१८	२५० छ को एनपी-२ को (२.५मीटर)	गोटा	४६८०	४६८०	४६८०
१९३.१९	२५० छ को एनपी-२ को कोलार	गोटा	४६५	४६५	४६५
१९३.२०	३०० छ को एनपी-२ को (२.५मीटर)	गोटा	६५८३	६५८३	६५८३
१९३.२१	३०० छ को एनपी-२ को कोलार	गोटा	६६०	६६०	६६०
१९३.२२	३५० छ को एनपी-२ को (२.५मीटर)	गोटा	६७७६	६७७६	६७७६
१९३.२३	३५० छ को एनपी-२ को कोलार	गोटा	६७५	६७५	६७५
१९३.२४	३७५ छ को एनपी-२ को (२.५मीटर)	गोटा	६८८०	६८८०	६८८०
१९३.२५	३७५ छ को एनपी-२ को कोलार	गोटा	६८५	६८५	६८५
१९३.२६	४०० छ को एनपी-२ को (२.५मीटर)	गोटा	७०००	७०००	७०००
१९३.२७	४०० छ को एनपी-२ को कोलार	गोटा	७००	७००	७००
१९३.२८	४५० छ को एनपी-२ को (२.५मीटर)	गोटा	८६००	८६००	८६००
१९३.२९	४५० छ को एनपी-२ को कोलार	गोटा	८६०	८६०	८६०
१९३.३०	५०० छ को एनपी-२ को (२.५मीटर)	गोटा	९८३०	९८३०	९८३०
१९३.३१	५०० छ को एनपी-२ को कोलार	गोटा	९८०	९८०	९८०
१९३.३२	६०० छ को एनपी-२ को (२.५मीटर)	गोटा	१२०००	१२०००	१२०००
१९३.३३	६०० छ को एनपी-२ को कोलार	गोटा	१२००	१२००	१२००
१९३.३४	७०० छ को एनपी-२ को (२.५मीटर)	गोटा	१३०००	१३०००	१३०००
१९३.३५	७०० छ को एनपी-२ को कोलार	गोटा	१३००	१३००	१३००
१९३.३६	७५० छ को एनपी-२ को (२.५मीटर)	गोटा	१४०००	१४०००	१४०००
१९३.३७	७५० छ को एनपी-२ को कोलार	गोटा	१४००	१४००	१४००
१९३.३८	८०० छ को एनपी-२ को (२.५मीटर)	गोटा	१६३००	१६३००	१६३००
१९३.३९	८०० छ को एनपी-२ को कोलार	गोटा	१६३०	१६३०	१६३०
१९३.४०	९०० छ को एनपी-२ को (२.५मीटर)	गोटा	१७६७०	१७६७०	१७६७०
१९३.४१	९०० छ को एनपी-२ को कोलार	गोटा	१७६०	१७६०	१७६०
१९३.४२	१००० छ को एनपी-२ को (२.५मीटर)	गोटा	२२१४०	२२१४०	२२१४०
१९३.४३	१००० छ को एनपी-२ को कोलार	गोटा	२२१०	२२१०	२२१०
१९३.४४	१२०० छ को एनपी-२ को (२.५मीटर)	गोटा	२९२३०	२९२३०	२९२३०
१९३.४५	१२०० छ को एनपी-२ को कोलार	गोटा	२९२०	२९२०	२९२०
१९३.४६	१५०० छ को एनपी-२ को (२.५मीटर)	गोटा	३९७४०	३९७४०	३९७४०
१९३.४७	१५०० छ को एनपी-२ को कोलार	गोटा	३९७५	३९७५	३९७५
१९३.४८	50 mm thick Cement Concrete Block - Interlocking	ब.फि.	९०	९०	९०
१९३.४९	50 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	९५	९५	९५
१९३.५०	60 mm thick Cement Concrete Block - Interlocking	ब.फि.	१०५	१०५	१०५
१९३.५१	60 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	११०	११०	११०
१९३.५२	AAC Block(600x200x100mm)	गोटा	१७९.३५	१८८	१८८

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१९३.५३	AAC Block(600x200x150mm)	गोटा	२६९.०४	२८२	२८२
१९३.५४	AAC Block(600x200x200mm)	गोटा	३५८.६५	३७६	३७६
१९३.५५	Aerolite AAC Block (Size 600x200x100mm)	गोटा	१५६	१५६	१५६
१९३.५६	Aerolite AAC Block (Size 600x200x150mm)	गोटा	२३४	२३४	२३४
१९३.५७	Aerolite AAC Block (Size 600x200x200mm)	गोटा	३१२	३१२	३१२
१९४	Interlock Paver, Kerb Stone, Concrete Tile				
१९४.०१	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	६६	६८	६९
१९४.०२	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	७१	७३	७४
१९४.०३	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	७६	७८	७९
१९४.०४	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	७६	७७	७७
१९४.०५	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	८३	८४	८५
१९४.०६	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	८५	८८	९०
१९४.०७	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा	८८	९०	९४
१९४.०८	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा	९६	९८	१०२
१९४.०९	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा	१००	१०२	१०५
१९४.१०	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२५	२६	२७
१९४.११	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२६	२७	२९
१९४.१२	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२२	२३	२४

क्र.सं.	विवरण	एकाई	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट	आ. ब. ०८२-८३ को दररेट
१९४.१३	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२३	२४	२६
१९४.१४	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	६९	७१	७२
१९४.१५	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	७६	७८	८०
१९४.१६	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	७९	८१	८३
१९४.१७	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	६९	७२	७२
१९४.१८	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	८४	८८	८८
१९४.१९	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	९०	९४	९४
१९४.२०	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	८४	८६	८६
१९४.२१	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	९९	१०१	१०१
१९४.२२	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	१०५	१०८	१०८
१९४.२३	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	सेट	६७०	७००	७३७
१९४.२४	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm proper interlock Grooves & pigment colour,water absorption <6%.	गोटा	२३५	२४०	२४०
१९४.२५	Matrix Slab / Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा	२६५	२७०	२७०
१९४.२६	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा	२८५	३००	३००
१९४.२७	I-Shape Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Size 200*140*50mm (NS STANDARD)	गोटा			२६
१९४.२८	I-Shape Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Size 200*140*50mm (NS STANDARD)	गोटा			३०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१९४.२९	I-Shape Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Size 200*140*50mm (NS STANDARD)	गोटा			३३
१९४.३०	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Size 226*200*60mm (NS STANDARD)	गोटा			३०
१९४.३१	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Size 226*200*60mm (NS STANDARD)	गोटा			३४
१९४.३२	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Size 226*200*60mm (NS STANDARD)	गोटा			३८
१९४.३३	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Size 200*100*60mm (NS STANDARD)	गोटा			२२
१९४.३४	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Size 200*100*60mm (NS STANDARD)	गोटा			२५
१९४.३५	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Size 200*100*60mm (NS STANDARD)	गोटा			२८
१९४.३६	Empaver Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Size 225*112.5*80mm (NS STANDARD)	गोटा			३३
१९४.३७	Empaver Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Size 225*112.5*80mm (NS STANDARD)	गोटा			३७
१९४.३८	Empaver Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Size 225*112.5*80mm (NS STANDARD)	गोटा			४०
१९४.३९	Half-battered Kerbstone Grey Color with compressive strength M20 or above. Size 250*200*380 (L*B*H), (NS STANDARD)	गोटा			२३५
१९४.४०	Bullnose Kerbstone Grey Color with compressive strength M20 or above. Size 250*200*380 (L*B*H), (NS STANDARD)	गोटा			२३५
१९४.४१	Striped Tactile Paver Yellow Color (5 stripes) with compressive strength M20. Size 400*400*50mm (L*B*H)	गोटा			२५०
१९४.४२	Button Tactile Paver Yellow Color (36 buttons) with compressive strength M20. Size 400*400*50mm (L*B*H)	गोटा			२५०
१९४.४३	Hollow Block Grey Color with compressive strength M10 or above. Size 400*200*200mm	गोटा			१२५
१९४.४४	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 100*100*80 (NS Standard)	गोटा			२६

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१९४.४५	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	गोटा			२९
१९४.४६	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	गोटा			३२
१९४.४७	Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			९३
१९४.४८	Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			१०७
१९४.४९	Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 60mm, Dimension:200*200*80 (NS Standard)	गोटा			११७
१९४.५०	Interlock With Cobble Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			१११
१९४.५१	Interlock With Cobble Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			१२३
१९४.५२	Interlock With Cobble Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			१३३
१९४.५३	Grass Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:400x600x100mm (NS Standard)	गोटा			६४१
१९४.५४	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	गोटा			८४
१९४.५५	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	गोटा			१००
१९४.५६	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	गोटा			११३
१९४.५७	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	गोटा			१०२
१९४.५८	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	गोटा			१२१
१९४.५९	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	गोटा			१३६
१९४.६०	Permeable Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	गोटा			१४०
१९४.६१	Permeable Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	गोटा			१६५

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१९४.६२	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	गोटा			१८५
१९४.६३	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40	गोटा			३३४
१९४.६४	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40	गोटा			४०१
१९४.६५	Porus Permeable Matrix Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60	गोटा			४१८
१९४.६६	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60	गोटा			५२३
१९५	सडक सम्बन्धि Pre-stressing Accessories				
१९५.०१	Supply Installation and prestressing of Ht Strands 12.7 mm- 7 ply as per drawing and specification (DP Wires)	के.जी.	१७२	१७२	१७२
१९५.०२	19JK13, Anchor set 1-Tube unit, 1 Bearing plate, 19 live wedge	सेट	७२०००	७२०००	७२०००
१९५.०३	Supply , Profiling of Corrugated HDPE Sheathings Pipe ID=85mm	मि.	३८०	३८०	३८०
१९५.०४	Strip Seal Expansion Joints	मि.	१६०००	१६०००	१६०००
१९५.०५	Slab Seal Expansion Joints	मि.	२८०००	२८०००	२८०००
१९५.०६	Pot bearings for 40 mtr span 2 girder bridge (347 tons capacity)	सेट	१५००००	१५००००	१५००००
१९५.०७	Pot bearings for 35 mtr span 2 girder bridge (296 tons capacity)	सेट	१३००००	१३००००	१३००००
१९५.०८	Pot bearings for 30 mtr span 2 girder bridge (246 tons capacity)	सेट	११५०००	११५०००	११५०००
१९५.०९	Neoprene bearings for 25 mtr span bridge (2 girder)	गोटा	४००००	४००००	४००००
१९५.१०	Neoprene bearings for 20 mtr span bridge (2 girder)	गोटा	३००००	३००००	३००००
१९५.११	Neoprene bearings for 15 mtr span bridge (2 girder)	गोटा	२८०००	२८०००	२८०००
१९५.१२	Drainage spout 100mm dia GI Pipe	गोटा	४०००	४०००	४०००
१९६	HDPE DOUBLE WALLED Corrugated Pipes- SN8 (Non Pressure) 6m in length				
१९६.०१	ID=100mm	मि.	५००	५५०	५५६
१९६.०२	ID=150mm	मि.	१०६६	११७३	१११२
१९६.०३	ID=200mm	मि.	१६२५	१७८८	१६६८
१९६.०४	ID=250mm	मि.	२१००	२३१०	२११३
१९६.०५	ID=300mm	मि.	३४५०	३७९५	३५१५
१९६.०६	ID=400mm	मि.	४४००	४८४०	४५२७
१९६.०७	ID=500mm	मि.	५४५०	५९९५	५४०६
१९६.०८	ID=600mm	मि.	९३२०	१०२५०	९३१०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
१९६.०९	ID=800mm	मि.	१३८१०	१५२००	१४९८५
१९६.१०	ID=1000mm	मि.	१९५००	२१४५०	२२५७२
१९७	कंक्रीट बिद्युत पोल (ढुवानी बाहेक)				
१९७.०१	८ मिटर लामो	गोटा	६३००	६३००	६३००
१९७.०२	९ मिटर लामो	गोटा	७२३८	७२३८	७२३८
१९७.०३	१० मिटर लामो	गोटा	१३६४८	१३६४८	१३६४८
१९७.०४	११ मिटर लामो	गोटा	१५७१३	१५७१३	१५७१३
१९८	स्टील ट्युबलर पोल (ढुवानी बाहेक)				
१९८.०१	८ मिटर लामो (१२० के.जी.)	गोटा	११८९१	११८९१	११८९१
१९८.०२	९ मिटर लामो (१४७ के.जी.)	गोटा	१६८५५	१६८५५	१६८५५
१९८.०३	११ मिटर लामो (१७५ के.जी.)	गोटा	२०६८०	२०६८०	२०६८०
१९९	एस सी एस आर कण्डक्टर				
१९९.०१	ACSR Dog Conductor	कि.मी.	AS PER NEA Rate		
१९९.०२	ACSR Rabbit Conductor	कि.मी.	AS PER NEA Rate		
१९९.०३	ACSR Weasel Conductor	कि.मी.	AS PER NEA Rate		
२००	Insulator				
२००.०१	11 kV Pin Insulator with Spindle	सेट	९५०	९५०	९५०
२००.०२	11 kV Disc Insulator with tension Clamp	सेट	१८००	१८००	१८००
२००.०३	D-Iron with Sackle	सेट	२५०	२५०	२५०
२०१	साधारण कंक्रीट पोल (तार बार र यस्तै कामका लागि)				
२०१.०१	६ फिट लामो ३X४ ईन्चीको	गोटा	६३०	६३०	६३०
२०१.०२	७ फिट लामो ३X४ ईन्चीको	गोटा	८६१	८६१	८६१
२०१.०३	६ फिट लामो ४X४ ईन्चीको	गोटा	८५०	८५०	८५०
२०१.०४	७ फिट लामो ४X४ ईन्चीको	गोटा	९९७	९९७	९९७
२०१.०५	८ फिट लामो ४X४ ईन्चीको	गोटा	१३१२	१३१२	१३१२
२०१.०६	१.५ मि. लामो ६X६ ईन्चीको	गोटा	२३१०	२३१०	२३१०
२०१.०७	१ मि. लामो ६X६ ईन्चीको	गोटा	१५७५	१५७५	१५७५
२०२	कंक्रीट रिड (३' व्यास, १' उचाइ र २" मोटो)	गोटा	८२९	८२९	८२९
२०३	कंक्रीट रिड कवर (३' व्यास र २" मोटाइ)	गोटा	८२९	८२९	८२९
२०४	कंक्रीट आर.सी.सी. रेलिड पोष्ट १ फुट	गोटा	७८	७८	७८
२०५	कंक्रीट आर.सी.सी. रेलिड पोष्ट २ फुट	गोटा	११५	११५	११५
२०६	कंक्रीट आर.सी.सी. रेलिड पोष्ट ३ फुट	गोटा	१५७	१५७	१५७
	मेशीनरी				
२०७	पम्पसेट तथा र्यामर				
२०७.०१	1/2 हर्ष पावरको चार्जिनिज	गोटा	४५२०	४५२०	४५२०
२०७.०२	1 " "	गोटा	८०००	८०००	८०००
२०७.०३	2 " "	गोटा	१९३००	१९३००	१९३००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
२०७.०४	३ ,, ,,	गोटा	३२२९०	३२२९०	३२२९०
२०७.०५	१/२ हर्ष पावरको भारती (ISI)	गोटा	९६८५	९६८५	९६८५
२०७.०६	१ ,, ,, (ISI)	गोटा	१७२२०	१७२२०	१७२२०
२०७.०७	२ ,, ,, (ISI)	गोटा	२६९००	२६९००	२६९००
२०७.०८	३ ,, ,, (ISI)	गोटा	४३०००	४३०००	४३०००
२०८	इण्डियन सबमरसिबल पम्प (स्टेन्डर्ड कम्पनि)				
२०८.०१	२ हर्ष पावर	गोटा	५१३४५	५१३४५	५१३४५
२०८.०२	३ हर्ष पावर	गोटा	६२७६०	६२७६०	६२७६०
२०८.०३	५ हर्ष पावर	गोटा	७०७४५	७०७४५	७०७४५
२०८.०४	७.५ हर्ष पावर	गोटा	१३१२२४	१३१२२४	१३१२२४
२०८.०५	१० हर्ष पावर	गोटा	१८२५७४	१८२५७४	१८२५७४
२०८.०६	१२.५ हर्ष पावर	गोटा	२१५०००	२१५०००	२१५०००
२०८.०७	१५ हर्ष पावर	गोटा	२२१०००	२२१०००	२२१०००
२०८.०८	१७ हर्ष पावरको	गोटा	२३७०००	२३७०००	२३७०००
२०८.०९	20 Hp Submersible Pump Sets	गोटा	२६४०००	२६४०००	२६४०००
२०८.१०	25 Hp Submersible Pump Sets	गोटा	२९७५००	२९७५००	२९७५००
२०८.११	30 Hp Submersible Pump Sets	गोटा	३५६०००	३५६०००	३५६०००
२०८.१२	35 Hp Submersible Pump Sets	गोटा	४२५०००	४२५०००	४२५०००
२०९	डिजेल पम्पसेट				
२०९.०१	५ हर्ष पावरको (ISI)	गोटा	५४०००	५४०००	५४०००
२०९.०२	८ हर्ष पावरको (ISI)	गोटा	८६०००	८६०००	८६०००
२१०	वाटर मीटर	गोटा	१७८५	१७८५	१७८५
	वायरिङ तथा वायरिङका सामान				
२११	स्तरीय सामान र पि.भि.सी. पाइप प्रयोग गरी सर्फेसवायरिङ गर्ने काम राम्रो मेटल बक्स, स्वीच, सिलिङ. रोज आदि वायरिङ. सामान समेत प्रयोग गरी वायरिङ को काम				
२११.०१	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१००८	१००८	१००८
२११.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१४३२	१४३२	१४३२
२११.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	११४९	११४९	११४९
२१२	स्तरीय सामान र पि.भि.सी. पाइप प्रयोग गरी कन्सील्ट वायरिङ गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिङ रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)				
२१२.०१	क ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	११८५	११८५	११८५
२१२.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	१२७९	१२७९	१२७९

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
२१२.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	९८८	९८८	९८८
२१३	पंखा				
	सिलिड. पंखा उषा,ओरिएन्ट,कम्पटन ग्रिभ्स वा सो सरह				
२१३.०१	३६ इन्च	गोटा	३२००	३२००	३२००
२१३.०२	४२ इन्च	गोटा	३४००	३४००	३४००
२१३.०३	४८ इन्च	गोटा	३६००	३६००	३६००
२१३.०४	ISI वा NS गुणस्तरको एम्बेस्ट फेन १२ इन्च	गोटा	३६००	३६००	३६००
२१३.०५	चाईनिज स्टेण्ड फैन	गोटा	३४००	३४००	३४००
२१३.०६	इण्डियन स्टेण्ड फैन	गोटा	३९५०	३९५०	३९५०
२१३.०७	स्टेण्ड पंखा (भारतीय स्पेशल)	गोटा	४७२५	४७२५	४७२५
२१३.०८	वाल फेन चाईनिज	गोटा	३१००	३१००	३१००
२१४	डोम लाइट				
२१४.०१	८ इन्च	गोटा	५१९	५१९	५१९
२१४.०२	६ इन्च	गोटा	४०४	४०४	४०४
२१५	3W Round/square recess conceal	गोटा	३२५	३२५	३२५
२१६	6W Round/square recess conceal	गोटा	४५०	४५०	४५०
२१७	12W Round/square recess conceal	गोटा	९५०	९५०	९५०
२१८	वेदरपुफ लाइट	गोटा	२१०	२१०	२१०
२१९	मेन स्वीच				
२१९.०१	६० एम्पियर	गोटा	४९३५	४९३५	४९३५
२१९.०२	३० ,,	गोटा	१९६३	१९६३	१९६३
२१९.०३	१५ ,,	गोटा	१४७०	१४७०	१४७०
२२०	१० एस.डब्लु.जि.प्लाष्टिक कोटेड कपर वायर अर्थिङको लागि	मीटर	१३८	१३८	१३८
२२१	सर्भिस तार	मीटर	२६	२६	२६
२२२	मिटर बक्स				
२२२.०१	प्लाष्टिक	गोटा	२१०	२१०	२१०
२२२.०२	काठको	गोटा	३१५	३१५	३१५
२२३	काठको लिस्टी				
२२३.०१	१/२" को	र.मी.	२६	२६	२६
२२३.०२	३/४" को	र.मी.	३३	३३	३३
२२३.०३	१" को	र.मी.	३६	३६	३६
२२४	एम सि बि				
२२४.०१	६ एम्पियर एस.पी.	गोटा	२६७	२६७	२६७
२२४.०२	१५ एम्पियर एस.पी.	गोटा	३९३	३९३	३९३
२२४.०३	१५ एम्पियर डी.पी.	गोटा	६९३	६९३	६९३
२२४.०४	३० एम्पियर एस.पी.	गोटा	४६२	४६२	४६२
२२४.०५	३० एम्पियर डी.पी.	गोटा	१२६०	१२६०	१२६०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
२२५	Solar system with 20 watt solar panel, one 23 Ah battery and 3 nos of 4 watt LED bulbs	सेट	१०५००	१०५००	१०५००
	अन्य सामानहरु				
२२६	खर १५से.मी व्यासको मुठा	मुठा	४४	४४	४४
२२७	नरियलको डोरी	के.जी.	१३६	१३६	१३६
२२८	लाइन स्टिड्ड	र.मी.	८	८	८
२२९	जिओ-ब्याग(१.०५मि.×०.७ मि., ३५० ग्राम)	गोटा	३८३	३८३	३८३
२३०	नाइलन क्रेट ४.५ केजी (३×१.०५×१.०५) मि.	गोटा	२२०५	२२०५	२२०५
२३१	चटाई ३×६ फिटको	गोटा	१४४	१४४	१४४
२३२	भुसा	के.जी.	४	४	४
२३३	गोवर	के.जी.	५	५	५
२३४	खाली बोरा				
२३४.०१	सिमेन्टको खाली बोरा (पुरानो)	गोटा	१२	१२	१२
२३४.०२	सिमेन्टको खाली बोरा (नयाँ)	गोटा	२४	२४	२४
२३४.०३	जूटको खाली बोरा	गोटा	११०	११०	११०
२३५	हेशन जूट	ब.मी.	२१०	२१०	२१०
२३६	नाइलन डोरी	के.जी.	२३२	२३२	२३२
२३७	मोविल (लुब्रिकेन्ट)	लीटर	६८२	६८२	६८२
२३८	गियर आयल	लीटर	६८२	६८२	६८२
२३९	ग्रिज	के.जी.	६८२	६८२	६८२
२४०	माछाका भुरा				
२४०.०१	माछा सानो फिंगर साइज	गोटा	०.५२	१.५	१.५
२४०.०२	माछा एडभान्स साइज	गोटा	१.४१	३	३
२४१	ढुटो	के.जी.	२०	२०	२०
२४२	पिना	के.जी.	२१	२१	२१
२४३	दाउरा	के.जी.	१६	१६	१६
२४४	चिरपट	के.जी.	१६	१६	१६
२४५	फलामे बाल्टी	गोटा	५३७	५३७	५३७
२४६	बांसको डोको	गोटा	२३१	२३१	२३१
२४७	पोलिथिन शीट ५०० गेज	के.जी.	२२०	२२०	२२०
२४८	टारफेल्ड शीट १×२० मिमी.	के.जी.	१४१	१४१	१४१
२४९	कंक्रीट एडमिक्चर (सेफक्रीट, सेफबर्न, सेफमाइट आदि)	लीटर	३१५	३१५	३१५
२५०	सिलिका एडमिक्चर	के.जी.	३६७	३६७	३६७
२५१	स्टोभ	गोटा	१०५०	१०५०	१०५०
	बायोइन्जिनियरिङ्का सामान तथा पशुचौपाया सम्बन्धि				
२५२	बिरुवाहरु				
२५२.०१	अम्लिसो	गाना	५.५१	६	७
२५२.०२	सुपर नेपियर	सेट	३.३	५	६

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
२५२.०३	स्मार्ट नेपियर	सेट		१०	११
२५२.०४	रेड नेपियर	सेट		१५	१६
२५२.०३	कास	स्लिप	१.१	१.१	१.१
२५३	बास विरुवा विजुवाट उत्पादन				
२५३.०१	१ वर्षे विरुवा	गोटा	५५.१२	५५.१२	५५.१२
२५३.०२	२ वर्षे विरुवा	गोटा	८२.६८	८२.६८	८२.६८
२५३.०३	३ वर्षे विरुवा	गोटा	१६५.३७	१६५.३७	१६५.३७
२५४	बास राईजोम	राईजोम	४९६.१२	४९६.१२	४९६.१२
२५५	बास विरुवा कटिड.				
२५५.०१	१ वर्षे विरुवा	गोटा	२७५.६२	२७५.६२	२७५.६२
२५५.०२	२ वर्षे विरुवा	गोटा	३३०.७५	३३०.७५	३३०.७५
२५५.०३	३ वर्षे विरुवा	गोटा	३८५.८७	३८५.८७	३८५.८७
२५५.०४	निगालो	गोटा	१६.५३	१६.५३	१६.५३
२५५.०५	डालेघास	गोटा	१७.६४	२०	२०
२५६	हिउँदे तथा वर्षे घाँसको विउ				
२५६.०१	जै	कि.ग्रा.	८८.२०	१००.००	१०५.००
२५६.०२	बर्षिम	कि.ग्रा.	३३०.७५	३५०.००	३६७.००
२५६.०३	भेच	कि.ग्रा.	१३२.३०	१३५.००	१४१.००
२५६.०४	टियोसेन्टी	कि.ग्रा.	११०.२५	१२५.००	१३१.००
२५६.०५	बाजरा	कि.ग्रा.	१०४.७३	११०.००	११५.००
२५६.०६	सुडान	कि.ग्रा.	११०.२५	११५.००	१२०.००
२५७	बहुवर्षे तथा डालेघाँसको विरुवा				
२५७.०१	नेपियर CO4 जरासहित	स्लीप	३.३	३.३	३.३
२५७.०२	नेपियर CO4	स्लीप	२.२	३	३
२५७.०३	नेपियर (अन्य) जरासहित	स्लीप	२.२	३	३
२५७.०४	मुलाटो, पास्यालम, सेटेरिया, बदामे	गोटा	२.२	२.२	२.२
२५७.०५	डाले घाँसको बेर्ना (बडहर)	गोटा	१७.६४	२०	२१
२५७.०६	डाले घाँसको बेर्ना (अन्य जात)	गोटा	१६.५३	१७	१८
२५८	प्रजननकालागि पालिने बोका बाख्रा				
२५८.०१	बाख्रा (खरि)	के.जी.	३८५	६५०	७००
२५८.०२	बाख्रा (५०% बोयर क्रस)	के.जी.			१०००
२५८.०३	बोका (खरि, जमुना पारी, बारबेरी)	के.जी.	५५१	८५०	८५०
२५८.०४	बोका (५०% बोयर क्रस)	के.जी.		१०००	११००
२५८.०५	बोका बोयर जातको	के.जी.	८८२	१२००	१२५०
२५९	उन्नत जातको बगुरको पाठापाठी				
२५९.०१	पाठी (न्यूनतम ४५ दिन)	गोटा	५५१२	६०००	६०००
२५९.०२	पाठा (न्यूनतम ४५ दिन)	गोटा	६०६३	६३००	६२००
२५९.०३	बगुरको बीर (९० दिन)	गोटा	७७१७	८०००	८०००
२५९.०४	पाठी (न्यूनतम ६० दिन)	गोटा		७०००	७०००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
२५९.०५	पाठा (न्यूनतम ६० दिन)	गोटा		७२००	७२००
२५९.०६	बंगुर पोथि (उन्नत)	के.जी.			४४०
२५९.०७	बीर (उन्नत)	के.जी.			५५०
२५९.०८	बंगुर खसि	के.जी.			४४०
२६०	प्रजननकालागि पालिने भैसी, गाई, रागो, साँढे, कुखुरा				
२६०.०१	प्रजनन योग्य रागो मुर्दा जातको	गोटा	११०२५०	११५०००	१२५०००
२६०.०२	प्रजनन योग्य साँढे होलिष्टिन जातको	गोटा	११०२५०	११५०००	१२५०००
२६०.०३	प्रजनन योग्य साँढे जर्सी जातको	गोटा	८८२००	९२०००	९५०००
२६०.०४	प्रजननयोग्य स्थानीय भैसी	गोटा		८५०००	९००००
२६०.०५	प्रजननयोग्य मुर्दा भैसी	गोटा		१२००००	१३००००
२६०.०६	प्रजननयोग्य स्थानीय गाई	गोटा		३५०००	३००००
२६०.०७	स्थानीय कुखुरा भाले	कि.ग्रा.		८००	८००
२६०.०८	स्थानीय कुखुरा पोथी	कि.ग्रा.		६००	६००
२६१	Steel Door and Window				
२६१.०१	900*2100 Steel Door set with frame 50 T Thickness	सेट	२१६३०	२१६३०	२१६३०
२६१.०२	1000*2100 Steel Door set with frame 50 T Thickness	सेट	२२६६०	२२६६०	२२६६०
२६१.०३	900*2100 ABS Door set with frame 50 T Thickness	सेट	१८५४०	१८५४०	१८५४०
२६१.०४	900*2100 Panel Door set with frame 50 T Thickness	सेट	१४४२०	१४४२०	१४४२०
२६१.०५	115mm Window set with frame 50 T Thickness	सेट	९००	९००	९००
२६२	Flush Door				
२६२.०१	Glossy	व.फु.	२७५	२७५	२७५
२६२.०२	Maat	व.फु.	२६०	२६०	२६०
२६३	Non Asbestos Sheet				
२६३.०१	1050mm overall width,6mm thickness-Normal	र.मी.	५७५	५७५	५७५
२६३.०२	1050mm overall width,6mm thickness-Coloured	र.मी.	६७५	६७५	६७५
२६३.०३	Supplying and erection if different mm thick cement base prefabricated everest solid wall panel (RAPION) non abestso incliding 1.1mm thick GI channel (50*25*20)mm with necessary accessories and fittings charge in partition wall all complet.				
	75mm thick	व.फु.	३१५	३१५	३१५
	50mm thick	व.फु.	२५०	२५०	२५०
२६२	Interior and Finishing Materials				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
A	Roofing Material				
1.00	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	४०००	४०००	४०००
2.00	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	३०००	३०००	३०००
3.00	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	१४००	१४००	१४००
4.00	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	१३००	१३००	१३००
B	Flooring Material				
1.00	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	Sqm	२७००	२७००	२७००
C	Material for Wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	Sqm	१५३००	१५३००	१५३००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	Pcs	२८००	२८००	२८००
	150X300 Tile	Pcs	३५००	३५००	३५००
	300X300 Tile	Pcs	४०००	४०००	४०००
D	Ceiling Work				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
1.00	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TEC SOUND 50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply (BWP) (perforation to be 20% of the surface area).	Sqm	२५०००	२५०००	२५०००
E	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sqm	४५०००	४५०००	४५०००
F	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sqm	१०००००	१०००००	१०००००
२६३	Concrete Admixture, Water Proofing Sytstem Integral				
२६३.०१	Protective, Decorative carbonating coating- Fosroc Nitogurd	Kg	१३००	१३००	१३००
२६३.०२	Protective polyerethane sealer Fosroc Promeseal	Ltr	८००	८००	८००
२६३.०३	High Performance water repellent Paint	Ltr	११००	११००	११००
२६३.०४	Concrete curing aid- Fosroc Concure WB	Kg	४५०	४५०	४५०
२६३.०५	Integral waterproofing additive for concrete and plaster- Fosroc Conplast WL Extra	Kg	३२०	३२०	३२०
२६४.००	PVC -O pipe				
264.10	Class 500 PVC -O pipe -PN 12.5				
	90mm	र.मि	७३०	७३०	५८३
	110mm	र.मि	११५०	११५०	८६५
	125mm	र.मि	१४५०	१४५०	१२५०
	140mm	र.मि	१७५०	१७५०	१६६२
	160mm	र.मि	२२००	२२००	२०९०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	180mm	र.मि			२७०७
	200mm	र.मि	३५००	३५००	३३२५
	225mm	र.मि	४४००	४४००	४१८०
	250mm	र.मि	५२००	५२००	४९४०
	280mm	र.मि			६६५०
	315mm	र.मि	८५००	८५००	८०७५
	355mm	र.मि	१०८००	१०८००	१०२६०
	400mm	र.मि	१४०००	१४०००	१३०८९
	450mm	र.मि	१९०००	१९०००	१९०००
	500mm	र.मि	२२७००	२२७००	२२७००
	630mm	र.मि	३६०००	३६०००	३६०००
	800mm	र.मि	५८०००	५८०००	५८०००
	1000mm	र.मि	११००००	११००००	११००००
	1200mm	र.मि	१५००००	१५००००	१५००००
264.20	Class 500 PVC -O pipe -PN 16				
	90mm	र.मि	८५४	८५४	७३८
	110mm	र.मि	१२६०	१२६०	११९७
	125mm	र.मि	१५५०	१५५०	१४७२
	140mm	र.मि	१९५०	१९५०	१८५२
	160mm	र.मि	२६००	२६००	२४७०
	180mm	र.मि			२८५०
	200mm	र.मि	४०००	४०००	३८००
	225mm	र.मि	४९५०	४९५०	४८०५
	250mm	र.मि	६३००	६३००	५९८५
	280mm	र.मि			७५००
	315mm	र.मि	९६००	९६००	८८००
	355mm	र.मि	१२७००	१२७००	१२०६५
	400mm	र.मि	१६०००	१६०००	१३०८९
	450mm	र.मि	२२५००	२२५००	२०१३१
	500mm	र.मि	२७५००	२७५००	२४५९१
	630mm	र.मि	४६५००	४६५००	३८४१२
	800mm	र.मि	७५०००	७५०००	५९३८२
	1000mm	र.मि	१२००००	१२००००	९६०००
	1200mm	र.मि	१७५०००	१७५०००	१४००००
264.30	Class 500 PVC -O pipe -PN 25				
	90mm	र.मि	१७००	१७००	१७००
	110mm	र.मि	२५००	२५००	२५००
	125mm	र.मि	२७००	२७००	२७००
	140mm	र.मि	३१००	३१००	३१००
	160mm	र.मि	३८००	३८००	३८००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	200mm	र.मि	५५००	५५००	५३८९
	225mm	र.मि	६७००	६७००	६५६६
	250mm	र.मि	८५००	८५००	७६८८
	315mm	र.मि	१३०००	१३०००	१०८९५
	355mm	र.मि	१६०००	१६०००	१४०४०
	400mm	र.मि	२०५००	२०५००	१९४२०
	450mm	र.मि	३००००	३००००	२५७०५
	500mm	र.मि	३८०००	३८०००	३१२५५
	630mm	र.मि	५७०००	५७०००	४८१७९
२६५.००	PVC -O pipe Fittings				
265.10	ELBOW 11.25 degree(PN-16)				
	110mm	गोटा	७३७६	७३७६	५१४१
	125mm	गोटा			८८१६
	140mm	गोटा			९२९९
	160mm	गोटा	१६०२२	१६०२२	१०५६८
	200mm	गोटा	२९४२९	२९४२९	१६३६५
	225mm	गोटा			२३५८४
	250mm	गोटा	४४८११	४४८११	२५०५३
	315mm	गोटा	८५८९५	८५८९५	५०४१६
	400mm	गोटा	१६०३३३	१६०३३३	८४२००
265.20	ELBOW 22.5 degree(PN-16)				
	110mm	गोटा	७६७१	७६७१	५७३४
	125mm	गोटा			८६०४
	140mm	गोटा			९०७६
	160mm	गोटा	१६९१३	१६९१३	१००८९
	200mm	गोटा	३०६०६	३०६०६	१६३६५
	225mm	गोटा			२३५४८
	250mm	गोटा	४६६०४	४६६०४	२५०५३
	315mm	गोटा	८९३३१	८९३३१	५०४१६
	400mm	गोटा	१६६७४६	१६६७४६	८४२००
265.30	ELBOW 45 degree(PN-16)				
	110mm	गोटा	८४८५	८४८५	६२८६
	125mm	गोटा			९४२६
	140mm	गोटा			११५९७
	160mm	गोटा	१८५७०	१८५७०	१२८९४
	200mm	गोटा	३३६५८	३३६५८	१७९९७
	225mm	गोटा			२८८०४
	250mm	गोटा	५५२०४	५५२०४	३०६४१
	315mm	गोटा	९७९५०	९७९५०	५५२८२
	400mm	गोटा	१८९७४४	१८९७४४	९५८१६

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
265.40	ELBOW 90 degree(PN-16)				
	110mm	गोटा	१२०५०	१२०५०	७२२७
	125mm	गोटा			१०८४२
	140mm	गोटा			१३२२२
	160mm	गोटा	२४१४३	२४१४३	१४७००
	200mm	गोटा	४३४१७	४३४१७	२३२१३
	225mm	गोटा			३७७३४
	250mm	गोटा	७२३१८	७२३१८	४०१४२
	315mm	गोटा	११२६४०	११२६४०	७११४२
	400mm	गोटा	२२५७९७	२२५७९७	११४०२१
265.50	Coupler (PN -16)				
	110mm	गोटा	७३५९	७३५९	५१७१
	125mm	गोटा			७७५८
	140mm	गोटा			८०१७
	160mm	गोटा	१३१२३	१३१२३	८९१३
	200mm	गोटा	१८९६८	१८९६८	१२८९१
	225mm	गोटा			२०४०८
	250mm	गोटा	३५५०२	३५५०२	२१७११
	315mm	गोटा	६७२९६	६७२९६	३९७८७
	400mm	गोटा	१४९१५८	१४९१५८	६८१२७
265.60	Sliding Coupler (PN -16)				
	110mm	गोटा			५१७१
	125mm	गोटा			७७५८
	140mm	गोटा			८०१७
	160mm	गोटा			८९१३
	200mm	गोटा			१२८९१
	225mm	गोटा			२०४०८
	250mm	गोटा			२१७११
	315mm	गोटा			३९७८७
	400mm	गोटा			६८१२७
265.70	Reducing Coupler (PN -16)				
	110 to 90	गोटा			५४९९
	125 to 110	गोटा			८२५१
	140 to 110	गोटा			९१२६
	160 to 110	गोटा			९१९७
	160 to 140	गोटा			९५९०
	200 to 160	गोटा			१३९५८
	225 to 160	गोटा			२०३२९
	225 to 200	गोटा			२२०००
	250 to 200	गोटा			२०२११

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	315 to 250	गोटा			३५६२५
	400 to 315	गोटा			६१९४१
266.00	SURFACE DRAIN SLOTTED UNIT WITH DWC PIPE				
266.10	Corffit Stormline Surface Drain (6inch height, 2.25 inch top width) Aluminium slot riser consisting Two parallel plates seperated by spacers with Galvanized Steel grate, flange at bottom mounted longitudinally using rivets with SN8 DWC Pipes (NS 595-2079).				
	6 inch Riser, 2.25 inch width -100mm DWC	मिटर			५२५६
	6 inch Riser, 2.25 inch width -150mm DWC	मिटर			५८१२
	6 inch Riser, 2.25 inch width -200mm DWC	मिटर			६३६८
	6 inch Riser, 2.25 inch width -250mm DWC	मिटर			६८१३
	6 inch Riser, 2.25 inch width -300mm DWC	मिटर			८२१५
	6 inch Riser, 2.25 inch width -400mm DWC	मिटर			९२२७
	6 inch Riser, 2.25 inch width -500mm DWC	मिटर			१०१०६
	6 inch Riser, 2.25 inch width -600mm DWC	मिटर			१४०१०
	6 inch Riser, 2.25 inch width -800mm DWC	मिटर			१९६८५
	6 inch Riser, 2.25 inch width -1000mm DWC	मिटर			२७२७२
266.20	Corffit Stormline Surface Drain (6inch height, 2.25 inch top width) Aluminium slot riser consisting Two parallel plates seperated by spacers with Open Top, flange at bottom mounted longitudinally using rivets with SN8 DWC Pipes (NS 595-2079).				
	6 inch Riser, 2.25 inch width -100mm DWC	मिटर			५२०६
	6 inch Riser, 2.25 inch width -150mm DWC	मिटर			५७६२
	6 inch Riser, 2.25 inch width -200mm DWC	मिटर			६३१८
	6 inch Riser, 2.25 inch width -250mm DWC	मिटर			६७६३
	6 inch Riser, 2.25 inch width -300mm DWC	मिटर			८१६५
	6 inch Riser, 2.25 inch width -400mm DWC	मिटर			९१७७
	6 inch Riser, 2.25 inch width -500mm DWC	मिटर			१००५६
	6 inch Riser, 2.25 inch width -600mm DWC	मिटर			१३९६०
	6 inch Riser, 2.25 inch width -800mm DWC	मिटर			१९६३५
	6 inch Riser, 2.25 inch width -1000mm DWC	मिटर			२७२२२
266.30	Corffit Stormline Surface Drain (2.5 inch height, 2.25 inch top width) Aluminium slot riser consisting Two parallel plates seperated by spacers with Galvanized Steel grate, flange at bottom mounted longitudinally using rivets with SN8 DWC Pipes (NS 595-2079).				
	2.5 inch Riser, 2.25 inch width -100mm DWC	मिटर			४२०५
	2.5 inch Riser, 2.25 inch width -150mm DWC	मिटर			४६५०

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	2.5 inch Riser, 2.25 inch width -200mm DWC	मिटर			५०९४
	2.5 inch Riser, 2.25 inch width -250mm DWC	मिटर			५४५०
	2.5 inch Riser, 2.25 inch width -300mm DWC	मिटर			६५७२
	2.5 inch Riser, 2.25 inch width -400mm DWC	मिटर			७३८२
	2.5 inch Riser, 2.25 inch width -500mm DWC	मिटर			८०८५
	2.5 inch Riser, 2.25 inch width -600mm DWC	मिटर			११२०८
	2.5 inch Riser, 2.25 inch width -800mm DWC	मिटर			१५७४८
	2.5 inch Riser, 2.25 inch width -1000mm DWC	मिटर			२१८१८
266.40	Corffit Stormline XL Surface Drain (2.5 inch height, 5 inch top width) Aluminium slot riser consisting Two parallel plates separated by spacers with Ductile Iron Grate, flange at bottom mounted longitudinally using rivets with SN8 DWC Pipes (NS 595-2079).				
	6 inch Riser, 2.25 inch width -100mm DWC	मिटर			१०५१२
	6 inch Riser, 2.25 inch width -150mm DWC	मिटर			११६२४
	6 inch Riser, 2.25 inch width -200mm DWC	मिटर			१२७३६
	6 inch Riser, 2.25 inch width -250mm DWC	मिटर			१३६२६
	6 inch Riser, 2.25 inch width -300mm DWC	मिटर			१६४३०
	6 inch Riser, 2.25 inch width -400mm DWC	मिटर			१८४५४
	6 inch Riser, 2.25 inch width -500mm DWC	मिटर			२०२१२
	6 inch Riser, 2.25 inch width -600mm DWC	मिटर			२८०२०
	6 inch Riser, 2.25 inch width -800mm DWC	मिटर			३९३७०
	6 inch Riser, 2.25 inch width -1000mm DWC	मिटर			५४५४४
267.00	Plastic Prefab Manholes प्लास्टिक मंगल				
267.10	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 1.5 mtr	गोटा			८९१२०
	Height 2 mtr	गोटा			९८४८०
	Height 2.5 mtr	गोटा			१०७८४०
	Height 3 mtr	गोटा			११७२००
	Height 3.5 mtr	गोटा			१२६५६०
	Height 4 mtr	गोटा			१३५९२०
	Height 4.5 mtr	गोटा			१४५२८०
	Height 5 mtr	गोटा			१५४६४०
	Height 5.5 mtr	गोटा			१६४०००
	Height 6 mtr	गोटा			१७३३६०
	Height 6.5 mtr	गोटा			१८२७२०

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
267.20	CORRFIT LLDPE PLASTIC MANHOLE (DN 800MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 1.5 mtr	गोटा			६८८००
	Height 2 mtr	गोटा			७५२००
	Height 2.5 mtr	गोटा			८१६००
	Height 3 mtr	गोटा			८८०००
	Height 3.5 mtr	गोटा			९४४००
	Height 4 mtr	गोटा			१००८००
	Height 4.5 mtr	गोटा			१०७२००
	Height 5 mtr	गोटा			११३६००
	Height 5.5 mtr	गोटा			१२००००
	Height 6 mtr	गोटा			१२६४००
	Height 6.5 mtr	गोटा			१३२८००
267.30	CORRFIT LLDPE PLASTIC MANHOLE (DN 600MM SERIES) Includes Shaft, 1nos Gasket & End Cap				
	Height 1 mtr	गोटा			२९६००
	Height 1.5 mtr	गोटा			३४०००
	Height 2 mtr	गोटा			३८४००
	Height 2.5 mtr	गोटा			४२८००
	Height 3 mtr	गोटा			४७२००
	Height 3.5 mtr	गोटा			५१६००
	Height 4 mtr	गोटा			५६०००
	Height 4.5 mtr	गोटा			६०४००
	Height 5 mtr	गोटा			६४८००
	Height 5.5 mtr	गोटा			६९२००
	Height 6 mtr	गोटा			७३६००
267.40	CORRFIT LLDPE PLASTIC MANHOLE (DN 500MM SERIES) Includes Shaft, 1nos Gasket & End Cap				
	Height 1 mtr	गोटा			२३२००
	Height 1.5 mtr	गोटा			२६०००
	Height 2 mtr	गोटा			२८८००
	Height 2.5 mtr	गोटा			३१६००
	Height 3 mtr	गोटा			३४४००
	Height 3.5 mtr	गोटा			३७२००
	Height 4 mtr	गोटा			४००००
	Height 4.5 mtr	गोटा			४२८००
	Height 5 mtr	गोटा			४५६००
	Height 5.5 mtr	गोटा			४८४००

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	Height 6 mtr	गोटा			५१२००
267.50	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket with 180 degree base of 300mm Trunk Line				
	Height 1.5 mtr	गोटा			१४१९२०
	Height 2 mtr	गोटा			१५१२८०
	Height 2.5 mtr	गोटा			१६०६४०
	Height 3 mtr	गोटा			१७००००
	Height 3.5 mtr	गोटा			१७९३६०
	Height 4 mtr	गोटा			१८८७२०
	Height 4.5 mtr	गोटा			१९८०८०
	Height 5 mtr	गोटा			२०७४४०
	Height 5.5 mtr	गोटा			२१६८००
	Height 6 mtr	गोटा			२२६१६०
	Height 6.5 mtr	गोटा			२३५५२०
267.60	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket with 180 degree base of 400mm Trunk Line				
	Height 1.5 mtr	गोटा			१४६७२०
	Height 2 mtr	गोटा			१५६०८०
	Height 2.5 mtr	गोटा			१६५४४०
	Height 3 mtr	गोटा			१७४८००
	Height 3.5 mtr	गोटा			१८४१६०
	Height 4 mtr	गोटा			१९३५२०
	Height 4.5 mtr	गोटा			२०२८८०
	Height 5 mtr	गोटा			२१२२४०
	Height 5.5 mtr	गोटा			२२१६००
	Height 6 mtr	गोटा			२३०९६०
	Height 6.5 mtr	गोटा			२४०३२०
267.70	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket with 180 degree base of 500mm Trunk Line				
	Height 1.5 mtr	गोटा			१५१५२०
	Height 2 mtr	गोटा			१६०८८०
	Height 2.5 mtr	गोटा			१७०२४०
	Height 3 mtr	गोटा			१७९६००
	Height 3.5 mtr	गोटा			१८८९६०
	Height 4 mtr	गोटा			१९८३२०
	Height 4.5 mtr	गोटा			२०७६८०

क्र.सं.	विवरण	एकाई	आ. ब. ८०/८१ को दररेट	आ. ब. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	Height 5 mtr	गोटा			२१७०४०
	Height 5.5 mtr	गोटा			२२६४००
	Height 6 mtr	गोटा			२३५७६०
	Height 6.5 mtr	गोटा			२४५१२०
267.80	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket with 180 degree base of 600mm Trunk Line				
	Height 1.5 mtr	गोटा			१५६३२०
	Height 2 mtr	गोटा			१६५६८०
	Height 2.5 mtr	गोटा			१७५०४०
	Height 3 mtr	गोटा			१८४४००
	Height 3.5 mtr	गोटा			१९३७६०
	Height 4 mtr	गोटा			२०३१२०
	Height 4.5 mtr	गोटा			२१२४८०
	Height 5 mtr	गोटा			२२१८४०
	Height 5.5 mtr	गोटा			२३१२००
	Height 6 mtr	गोटा			२४०५६०
	Height 6.5 mtr	गोटा			२४९९२०
267.90	ELASTOMETRIC EPDM RING (TO JOIN DWC PIPE TO DWC PIPE) USED FOR CONNECTIONS IN MANHOLE AND TRUNK LINE				
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*110MM	गोटा			५०००
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*150MM	गोटा			६१६२
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*200MM	गोटा			७४६९
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*250MM	गोटा			१०७५६
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*300MM	गोटा			१२४६४
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*400MM	गोटा			२३५२८
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*500MM	गोटा			२८३८३
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*110MM	गोटा			३७३५
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*150MM	गोटा			५२२८
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*200MM	गोटा			८४७४
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*250MM	गोटा			११२५४

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*300MM	गोटा			११६९३
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*400MM	गोटा			२५२७८
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*110MM	गोटा			४६६८
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*150MM	गोटा			५४६०
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*200MM	गोटा			६६२९
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*250MM	गोटा			११९३४
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*300MM	गोटा			१३७२५
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*110MM	गोटा			३७३५
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*150MM	गोटा			५१७२
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*200MM	गोटा			६६६६
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*250MM	गोटा			१२२०३
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*300MM	गोटा			१४१९२
	ELASTOMETRIC RING (TO JOIN PIPE) 400MM*110MM	गोटा			३३६१
	ELASTOMETRIC RING (TO JOIN PIPE) 400MM*150MM	गोटा			४४८२
	ELASTOMETRIC RING (TO JOIN PIPE) 400MM*200MM	गोटा			७४१३
	ELASTOMETRIC RING (TO JOIN PIPE) 300MM*110MM	गोटा			२९८८
	ELASTOMETRIC RING (TO JOIN PIPE) 300MM*150MM	गोटा			४४६८
	ELASTOMETRIC RING (TO JOIN PIPE) 300MM*200MM	गोटा			७४१३
268.00	वाल पेपर				
268.01	Supplying and Fitting of 3D Wallpaper	व.फु.			१५०
268.02	Supplying and Fitting of Customized Wall Mural	व.फु.			१५०
268.03	Supplying and Fitting of Wall Foam	व.फु.			१३५
268.04	Supplying and Fitting of Customized Canvas	सेट			२५००
268.05	Supplying and Fitting of Artificial Grass	व.फु.			१५०
268.06	Wallpaper Powder Glue	प्याकेट			४००
268.07	Kitchen Stickers	व.फु.			५०
269.00	3D-Semi Flexible Galvanised Steel Mat				
269.10	3D-Semi Flexible Galvanised Steel Mat, panel Size 80X115x3000 Approx wt 3kg/m2	Sqm			५००५

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
269.20	Binding loops stainless steel, approx wt 6kg/bundle	Bundle			२५५८०
माथि उल्लेखित आईटम हरु भन्दा थप आइटमहरु आवश्यक परेमा बजार बाट तिनवटा दररेट माग गरी सो मध्यबाट न्यूनतम दररेट लाई आधारमानी कायम गर्न सकिने छ ।					






कैलाली जिल्लाको
आ. व. २०८२/०८३ को
दररेट माग गरी सो मध्यबाट
न्यूनतम दररेट लाई आधारमानी
कायम गर्न सकिने छ ।

१४.१० बिभिन्न साईजका मेशीन मेड गेवियन जालीहरुको आ.ब. २०८२/८३ को जिल्ला दररेट

Machine Made and mechanically selvaged Double twist hexagonal mesh product

Specification			
Mesh Type		10x12	
Wire mesh Dia		3.00 mm	
Selvedge wire dia		3.90 mm	
Lacing Wire Dia		2.40 mm	
Type of Coating		Heavy Zinc Coating	
S.N.	Size /With Diapharm	unit	Price(NRS)
1	1.5x1x0.5/0	Nos	1682
2	2x1x0.5/1	Nos	2288
3	3x1x0.5/2	Nos	3265
4	4x1x0.5/3	Nos	4122
5	1.5x1x1/0	Nos	2444
6	2x1x1/1	Nos	3249
7	3x1x1/2	Nos	4610
8	4x1x1/3	Nos	5937
9	3x1.5x0.5/2	Nos	4797
10	4x1.5x0.5/3	Nos	6071
11	5x1.5x0.5/4	Nos	7527
12	6x1.5x0.5/5	Nos	9000
13	3x1.5x1/2	Nos	6754
14	4x1.5x1/3	Nos	8514
15	5x1.5x1/4	Nos	10526
16	6x1.5x1/5	Nos	12520
17	3x2x0.5/2	Nos	6017
18	4x2x0.5/3	Nos	7670
19	5x2x0.5/4	Nos	9520
20	6x2x0.5/5	Nos	11370
21	3x2x1/2	Nos	8352
22	4x2x1/3	Nos	10509
15	5x2x1/4	Nos	12987
16	6x2x1/5	Nos	15448
17	Wire mesh Netting	SQM	306

[Handwritten signatures and notes at the bottom of the page]

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
१.००	100 Series - 2 Panel Sliding Window	100 Series	Sqm	8000	8000
	Natural Anodised/ Black - White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Center Lock, Roller, Brush, S.S. Mosquito Net 304 grade, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	101.3 x 41.5 x 1.3			
		101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
		76.2 x 28 x 1.0			
२.००	WINDOWS – 2 Pannel Sliding, with Fix Ventilation	100 Series	Sqm	8050	8050
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	101.3 x 41.5 x 1.3			
		101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
		76.2 x 28 x 1.0			
३.००	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	100 Series	Sqm	8715	8715
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	101.3 x 41.5 x 1.3			
		101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
		76.2 x 28 x 1.0			
४.००	WINDOWS – 2 Pannel Sliding,	100 Series	Sqm	8231.4	8231.4
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	101.3 x 41.5 x 1.5			
		101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			
५.००	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	100 Series	Sqm	8918	8918
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
		101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			










क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
६.००	WINDOWS – 3 Pannel Sliding with FIX Ventilation	100 Series	Sqm	10168	10168
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			
७.००	WINDOWS – 2 Pannel Sliding,	90 Series	Sqm	7263	7263
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
८.००	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	90 Series	Sqm	7700	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
९.००	WINDOWS – 2 Pannel Sliding,	90 Series	Sqm	7700	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	Frame – 87 x 40 x 1.5			
	(5mm clear/ Colour Glass)	87 x 56 x 1.5			
		90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
१०.००	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	90 Series	Sqm	10222	10222
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.5			
	(5mm clear/ Colour Glass)	90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
११.००	WINDOWS – 3 Pannel Sliding,	90 Series	Sqm	8688.70	8688.70
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
१२.००	WINDOWS – 3 Pannel Sliding,	90 Series	Sqm	9200	9200
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.5			
	(5mm clear/ Colour Glass)	90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			
१३.००	DOORS – Hinge Fabrication	100 Series	Sqm	8339	8339
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.0			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 48 x 45 x 1.0			
१४.००	DOORS – Hinge Fabrication	100 Series	Sqm	9684	9684
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.3			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 48 x 45 x 1.0			
१५.००	DOORS – Hinge Fabrication	100 Series	Sqm	11298	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.5			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 83 x 44 x 1.2			
		48 x 45 x 1.0			







क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
१६.००	DOORS – Floor Fabrication	100 Series	Sqm	12374	12374
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.3			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 83 x 44 x 1.2			
	FLOOR SPRING – openabale with both side	48 x 45 x 1.0			
१७.००	DOORS – SLIDING Fabrication	100 Series	Sqm	11298	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	Frame – 101 x 45 x 1.2			
	Aluminium Doors Including, Lock, Rubber, Brush, Sliding Bearings, Gaskets & Necessary Hardware etc	Palla - 64 x 28 x 1.2			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	50 x 28 x 1.2			
१८.००	VENTILATION – Fixed Fabrication/LOUVER	Frame -101*45*1.2	Sqm	6550	6550
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber				
१९.००	VENTILATION – Fixed Fabrication/LOUVER	Frame -63.3*37*1.0	Sqm	5918	5918
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber				
२०.००	Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame -101*45*1.2	Sqm	6994	6994
	Aluminium with necessary hardware				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२१.००	Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame -63.3*37*1.0	Sqm	5918	5918
	Aluminium with necessary hardware				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२२.००	Fabrication of Steel Railing with 4 row of steel pipe (running Ft) ROUND S S PIPES	2”/1”/1”/1” with support 1.5” steel pipe	r.ft	1080	950
२३.००	Fabrication of Steel with 3 row of Steel Pipe (running Ft) ROUND S S PIPES	2”/1”/1” with support 1.5” steel pipe	r.ft	900	750
२४.००	Fabrication of Steel Railing with 2 row of steel pipe (running Ft)) ROUND S S PIPES	2”/1”/ with support 1.5” steel pipe	r.ft	735	550
२५.००	Fabrication of Steel with single row of Steel Pipe (running Ft) ROUND S S PIPES	1.5” with support 1.5” steel pipe	Sq.ft	577	577
२६.००	Fabrication of Steel Gate , Steel Furniture like Bench, Arching Table, Modulur Rack and all kinds		Kg	493	493
२७.००	Powder Coated MS Door/Window/Ventilation of Frame size 100mm*50mm with 1.6mm thick moulded iron sheet including holdfast, Hinge		Sq.ft	290	290



क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
२८.००	Powder Coated iron Window/Ventilation glazed shutter of Frame size 70mm*25mm with 1.0mm thick moulded iron sheet including 4mm glass and accessories and fittings all complete		Sq.ft	650	650
२९.००	Powder Coated iron Window/Ventilation mesh shutter of Frame size 38mm*20mm including 4 accessories and fittings all complete		Sq.ft	490	490
३०.००	STRUCTURAL GLAZING – Glass Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Aluminium Profiles Structure fabrication or Pannel designing with Colour /Clear 5mm glass with all other accessory hardware and gaskets.	Frame – 101 x 45 x 2.0	Sq.ft		775
३१.००	STRUCTURAL GLAZING – Glass Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Aluminium Profiles Structure fabrication or Pannel designing with Colour /Clear 5mm glass with all other accessory hardware and gaskets.	Frame – 60 x 75 x 1.5	Sq.ft		625
३२.००	ACP GLAZING – Wall Fabricate With Aluminium Composite Pannel Structure fabrication or Pannel designing with Colour Aluminium Composite Panel Having the thickness of Aluminium coil is not less then 0.15mm with polarised coolur with warranty Time	ACP - 3 MM	Sq.ft		450
३३.००	Glass Casement Door / Window Fabrication and Installation with Glass Door with all necessary Fitting Item as Door Lock, Hinge, Handle Gaskets, Silicon and other	10mm Toughnrd Glass	Sq.ft		750
३४.००	Glass Partation - Wall / Room/ Partation Fabrication and Installation with Glass with all necessary Fitting Item as Connector, Knobs, Handle Gaskets, Silicon and other	10mm Toughnrd Glass	Sq.ft		710
३५.००	Roofing For Skylight Fabrication and Installation with Polycarbonatd Glass with all necessary Fitting Item as Connector, Knobs, Handle Gaskets, Silicon and other	10mm Polycarbonate Fiber	Sq.ft		1100
३६.००	Roofing For parking / Garden Etc Fabrication and Installation with FRP - FiberGlass Reinforced Plastic Sheet with all necessary Fitting Item as Connector, Knobs, Handle Gaskets, Silicon and other	1.5mm FRP Sheet	Sq.ft		275
३७.००	Glass Railig / Staircase Fabrication with Toughned Glass Staicase railing or Lobby Railing with 10mm Glass with Suitable necessary Hardware like S S Bluster/Pipes/ ets	Grade - 304 (1.5mm/16 Guage) 10mm Toughned Glass	Sq.ft		875
UPVC Profile for Door/Window					
३८.००	2 / 3 Panel Sliding Window with Net Profile - White or Blue White Manufacture By Registerd Nepali Company Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Window Sliding Lock, S. S Screw, Weather Strips, Gaskets, S.S 304 grade Diamond Net with all Necessary Fitting Item Reinforcement and Tracking Channel (5mm clear/ Colour Glass)	Win Frame 112 x 52 x 2.0 Shutter Frame 66 x 42 x 2.0 Shutter NET 66 x 42 x 2.0	Sqm		10222

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
३९.००	2 Panel Sliding Window with Net		Sqm		8070
	Profile - White or Blue White Manufacture By Registerd Nepali Company	Win Frame 88 x 52 x 2.0			
		Shutter Frame 58 x 42 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Window Sliding Lock, S. S Screw, Weather Strips, Gaskets, S.S Mosquito Net 304 grade with all Necessary Fitting Item Reinforcement and Tracking Channel	Shutter NET 52 x 19 x 1.7			
	(5mm clear/ Colour Glass)				
४०.००	2 Panel Sliding Window without Net		Sqm		6456
	Profile - White or Blue White Manufacture By Registerd Nepali Company	Win Frame 60 x 62 x 2.0			
		Shutter Frame 58 x 42 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Window Sliding Lock, S. S Screw, Weather Strips, Gaskets, S.S Mosquito Net 304 grade with all Necessary Fitting Item Reinforcement and Tracking Channel				
	(5mm clear/ Colour Glass)				
४१.००	2 Panel Sliding Window with Net		Sqm		6725
	Profile - White or Blue White Manufacture By Registerd Nepali Company	Win Frame 80 x 50 x 2.0			
		Shutter Frame 55 x 37 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Window Sliding Lock, S. S Screw, Weather Strips, Gaskets, S.S Mosquito Net 304 grade with all Necessary Fitting Item Reinforcement and Tracking Channel	Shutter NET 52 x 19 x 1.7			
	(5mm clear/ Colour Glass)				
४२.००	Sliding DOORS		Sqm		8070
	Profile - White or Blue White Manufacture By Registerd Nepali Company	Win Frame 60 x 62 x 2.0			
		Shutter Frame 92 x 42 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Door Sliding Lock, S. S Screw, Weather Strips, Gaskets, with all Necessary Fitting Item Reinforcement and Tracking Channel				
	(5mm clear/ Colour Glass/15mm UPVC Panel Board)				
४३.००	Casement DOORS		Sqm		8339
	Profile - White or Blue White Manufacture By Registerd Nepali Company	Win Frame 60 x 58 x 2.0			
		Shutter Frame 104 x 60 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Casement Hings, Door Mortice Lock, S. S Screw, Weather Strips, Gaskets, with all Necessary Fitting Item Reinforcement and Tracking Channel	Shutter F Middle 72 x 46 x 2.0			
	(5mm clear/ Colour Glass/15mm UPVC Panel Board)				





क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
४४.००	Casement DOORS/ Windows		Sqm		8070
	Profile - White or Blue White Manufacture By Registered Nepali Company	Win Frame 60 x 58 x 2.0			
		Shutter Frame 76 x 60 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Casement Hings, Door Mortice Lock, Casement Window Lock, T-Lock, S. S Screw, Weather Strips, Gaskets, with all Necessary Fitting Item Reinforcement and Tracking Channel	Shutter F Middle 72 x 60 x 2.0			
	(5mm clear/ Colour Glass/15mm UPVC Panel Board				
४५.००	Fixed Partation / fixed wall Partation		Sqm		6456
	Profile - White or Blue White Manufacture By Registered Nepali Company	Side Frame 60 x 58 x 2.0			
		Middle Frame 72 x 46 x 2.0			
	Fabrication of UPVC profile for the Room or Wall Partaion using with Appropriate Profile , S. S Screw, Weather Strips, Gaskets, with all Necessary Fitting Item Reinforcement and Tracking Channel				
	(5mm Glass/ 4mm Aluminium Composite Panel/12 Laminated Board/ 15mm UPVC Panel Board)				

Signature

Signature

Signature

Signature

कृषि कार्यका लागि ०.५५ मि.मि. जी.आई.पाताको मेटल बिन (तयारी भकारी) को क्षमता, नाप, तौल, मूल्य बिबरण

सेट	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको तौल (के.जी.)	मेटल बिनको तयारी भित्रि व्यास (से.मि.)	मेटल बिनको तयारी भित्रि उचाई (से.मि.)	एकाई	आ.व. ८०/८१ को दररेट	आ.व. ८१/८२ को दररेट	आ.व. ८२/८३ को दररेट
ए.	२६२	१४.०	६१	१२१.०	गोटा	३०१७	३०१७	३०१७
ए.	२४५	१३.३	५९	१२१.०	"	२९२०	२९२०	२९२०
ए.	२२८	१२.५	५७	१२१.०	"	२८००	२८००	२८००
ए.	२१३	११.८	५५	१२१.०	"	२७२३	२७२३	२७२३
ए.	१९८	११.०	५३	१२१.०	"	२६२१	२६२१	२६२१
जम्मा	११४६	६२.५						
बि.	१९६	११.०	६१	९०.५	"	२२००	२२००	२२००
बि.	१८४	१०.५	५९	९०.५	"	२१४०	२१४०	२१४०
बि.	१७०	१०.०	५७	९०.५	"	२०५४	२०५४	२०५४
बि.	१६०	९.५	५५	९०.५	"	१९८९	१९८९	१९८९
बि.	१४८	९.०	५३	९०.५	"	१९१४	१९१४	१९१४
जम्मा	८५८	५०.०						
सी.	१४८	९.०	५३	९०.५	"	१९९३	१९९३	१९९३
सी.	१३६	८.५	५१	९०.५	"	१९२८	१९२८	१९२८
सी.	१२४	८.०	४९	९०.५	"	१८००	१८००	१८००
सी.	११२	७.५	४७	९०.५	"	१७००	१७००	१७००
सी.	७५	६.०	३८	९०.५	"	१४१२	१४१२	१४१२
जम्मा	५९५	३९.०						

२१/०७/२०७१

जिल्ला प्रशासन कार्यालय कैलाली
विपद् सामग्रीहरूको जिल्ला दररेट आ.व. ०८२/०८३



क्र.सं.	विपद् सामग्रीको नाम	स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
क.	हावाहुरी तथा बाढी पहिरो बाट हुने विपद् मा प्रयोग हुने				
१	Safety helmet	हेल्मेट Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	३५०	
२	Gaiti with wood handle	गैती Medium size	थान	५५०	
३	Belcha with handle	साबेल Medium size (Metal handle)	थान	४५०	
४	Axe with wooden handle	बन्चरो Axe size 16*10 cm - (+3kg)	थान	५५०	
५	Two Hand Saw	आरा Size : Big (5 Feet)	थान	१०००	
६	Sabbal	गल Size : Big	थान	१३५०	
७	Agricultural spade with handle	फरुवा Regular size (metal handle)	थान	५००	
८	Hammer with handle (Ghan)	घन 5 kg	थान	१५००	
९	Aasi	आसी Size : Big	थान	१५००	
१०	Hand wood cutter machine Chain Saw	काठ काटने मेसिन Engine capacity not less than 50cc Minimum cutting diameter not less than 20"	थान	१५०००	
११	Hand wood cutter machine Petrol Saw	काठ काटने मेसिन 2 stroke engine, 1 cylinder Minimum cutting diameter: 20-inch (45cm)	थान	२५०००	
१२	bold cutter	आईरन रड कटर Medium Size	थान	२५००	
१३	Knee Pad	घुडामा लगाउने	थान	२५०	
१४	Head search light with battery	हेड लाईट Halogen 55 W ABS LED Search Lights	थान	७५०	
१५	Power torch light	पावर टर्च लाईट Lighting Type : LED , Battery : Lead Acid , Capacity : not less than 1500mah	थान	१५००	
१६	Come along machine	Capacity: not less than 4 ton	थान	६०००	
१७	Hydraulic Jack	Capacity: 20 ton	थान	४०००	
१८	plastic rope	नाईलन डोरी 10-20mm diameter , More than 100 metre	थान	२५००	
१९	Anti Dust Glass	UV protection, Liquid splash protection	थान	५००	
२०	Scene Tape (Barricade Tape)	100 meter Roll	थान	१०००	
२१	Mega Phone	मेगाफोन Material: Fiber, Power Output : Not less than 10W, Max, Voice Range : Not less than 400m , Power Source: Chargable & battery use also Weight : not less than 1.5kg Usage : Public Meetings, Gathering , Tourist Palce Announcing	थान	४५००	
२२	Crow bar	क्रो बार Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high carbon steel Good for pulling nails & lifting	थान	१०००	

विपद् सामग्रीहरूको जिल्ला दररेट आ.व. ०८२/०८३

क्र.सं.	विपद् सामग्रीको नाम	स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
२३	Back board (Stretcher) Spinal board	Two handles at tapered end to allow more stable transport. Strong, light weight, one-piece HDPE construction is impervious to all bodily fluids, easy to decontaminate, and provide 100% X-ray translucency. Instahold Buoyant Backboard Stretcher / Spine Board	थान	४५००	
२४	Electric Cord	100 meter	थान	४०००	
२५	Tools box with tools		थान	३०००	
ख	दुर्घटना विपद् मा प्रयोग हुने (Rappling & clamping equipment)				
१	Sit Harness Belt	सिट हर्नेस बेल्ट Fully adjustable waist and legs Wrap around or step in fitting Well- established , easy interlocking buckiling system Laminasted, high quality , sandwiched closed cell foam padding High quality polyester webbing , with hidden locking stitch 2 fixed Gear Loops - 2 Removable Gear loops 1 front aluminium D & 1 front doble thickness 18mm belay loop 30kn 1 back & 2 side webbing eyes conforming to EN 358 Standard Waist Size : 74cm to 115 cm Standard leg /thing Size : 44cm to 85 cm Rated for: not less than 100kg Weight for standard Harness : not less than 1 kg	थान	४०००	
२	Chest harness	चेस्ट हर्नेस Fully adjustable with comfort padded waist belt thing strap and shoulder Strap 44 mm polyster webbing with min. breaking strength 25 kn Automatic stitching pattern with strength Metal type chest strap with easy handing Adjustable dorsal high strength forged D-ring , Min Breasking Strength 25 kn Two lateral D- rings for work positioning, one sternal D- ring for fall arrest & one ventral D-ring for rescue Finished Webbing rmds with web holder Suitable for fall arrest, work positining, descent & ascent & rescue service Speacial design & high resistant polyethylene back plate for holding D- ring even after the fall	थान	१५००	
३	Static Rope	100 metre Roll , 12mm	थान	१२०००	
४	Dynamic Rope	डाईनामिक रोप Diameter: Not less than 8 mm Length : Not less than 50 ft/roll Made up of with nylon material, enduring durability and longevity Light weight and portable , easy o carry Great for survival , rescue camping	थान	१५०००	

विपद् सामग्रीहरूको जिल्ला दररेट आ.व. ०८२/०८३



क्र.सं.	विपद् सामग्रीको नाम		स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
५	Wire rope pulley	घिर्नी	Capacity: not less than 0.5 ton	थान	२०००	
६	Safety helmet for Rappelling & climbing	हेल्मेट	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	८००	
७	Carabiner	क्याराबिना	Made up of alloy Steel, Head treated, Min. Breaking Load: not less than 4500 lbs/ 23kn, Net weight : not less than 100gm	थान	१२००	
८	Figure 8 Carabiner		30 k.n	थान	२०००	
९	Jumar for climbing		9 cm wide & 19 cm long weight - more than 200 gram	थान	२५००	
१०	Gri - Gri		More than 8 mm	थान	२५००	
११	Prusik		GM CLIMBING 18" / 24" 8mm Pre-Sewn Prusik Cord	थान	५००	
१२	Tin box	टिन बक्स	6*4*4 feet (22 Gauze)	थान	१२०००	
१३	First Aid box	फर्स्ट एड बक्स	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauze pad-15 Pc, Foresap-3pc, Scissor medium-3pc, Huppini-medium size-3set, Savlon-100ml-3pc, soap-dettol-150-3pc, mask-3box, gloves-medium-3 box,towel cotton-small-3pc, handiplast-1 box, ointment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer-100 ml 3 pc, Bag-1pc)	थान	३०००	
ग	बाढी तथा डुबानबाट हुने विपद् मा प्रयोग हुने					
१	Life Jacket	लाईफ ज्याकेट		थान	३०००	
२	Throw bag		The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	थान	१५००	
३	Life bouy rescue tube	लाईफ ब्वाय रेस्क्यु ट्युब	Size : 29*29*4	थान	३०००	
४	Bora	कट्टा	30 kg	थान	२५	
५	Gum boot for water		Size : Medium & Big	थान	१०००	
६	Rain Coat		Size : Medium & Big	थान	२५००	
७	Water Glasses		Liquid splash protection	थान	१००	
८	Safety helmet for water rescue	हेल्मेट	Materials: PVC, size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	८५०	
९	Water Rescue shoes			थान	१०००	
१०	Tripal		18*24 ft.	थान	१७००	
घ	आगलागीबाट हुने विपद् मा प्रयोग हुने					
१	Fire extinguisher	अग्नी सामक	Type ABC Powder , more than 5 kg cylender	थान	४५००	
२	Fire fighter shoot	फायर फाईटर सुट	Jacket , Paint & Helmet	थान	७०००	

विपद् सामाग्रीहरुको जिल्ला दररेट आ.व. ०८२/०८३



क्र.सं.	विपद् सामाग्रीको नाम		स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
३	Stell Bucket	फलामे वाल्टी	More than 8 liter	थान	७००	
४	Fire Saffey Gloves		Silica Fabric, Heat Resistant Gloves, Fire Proof	थान	८००	
५	Aluminium ladder	आलमुनियम ल्याडर	Not less than 12 ft.	थान	१५०००	

[Handwritten signatures and marks]

जिल्ला प्रशासन कार्यालय कैलाली
विरुवाहरुको जिल्ला दररेट रु.



क्र.सं	विरुवाको प्रजाती	एकाई	आ.व.०८१-८२ को दररेट	आ.व.०८२- ८३ को दररेट	कैफियत
१	अमला	गोटा	१६	१८	
२	वाँस कलमी २ वर्षे	गोटा	५१२	५५०	
३	श्रीखण्ड १ फिट माथी २ वर्षे	गोटा	२८७	३२५	
४	रक्तचन्द्र १८ ईन्च २ वर्षे	गोटा	२८७	३२५	
५	रुद्राक्ष २ फिट माथी २ वर्षे	गोटा	५६३	५७५	
६	अगर उड	गोटा	२५६	३००	
७	गुर्जो	गोटा	८२	८५	
८	अम्रपाली २ वर्षे विरुवा	गोटा	१३३	१३३	
९	आँप निलम बहुवर्षिय	गोटा	१३३	१३३	
१०	आँप मलिका बहुवर्षिय	गोटा	१३३	१३३	
११	आँप अन्य जात	गोटा	१०२	१०२	
१२	लिची सबैजात	गोटा	१०७	१०७	
१३	कागती सबैजात	गोटा	६२	६२	
१४	सुन्तला सबैजात	गोटा	६२	६२	
१५	भेटिभर स्लिप	गोटा	१०	१०	
१६	विजयसाल	गोटा	७५	१००	
१७	वेत वाँस	गोटा	३५	५०	
१८	सतिसाल	गोटा	७५	८०	
१९	टिमुर	गोटा	८५	९५	
२०	केरा टिस्यू कल्चर विरुवा	गोटा	४५	४५	
२१	बोधिचित्त	गोटा		५००	
२२	सडक किनारामा रोपिने विरुवाहरु (गोल्डमोहर, ज्याकाराण्डा, समि, पारिजात, राजवृक्ष, कपुर आदि) ३ फिट	गोटा		३५०	
२३	सडक किनारामा रोपिने विरुवाहरु (गोल्डमोहर, ज्याकाराण्डा, समि, पारिजात, राजवृक्ष, कपुर आदि) ३ फिट देखि ५ फिट सम्म	गोटा		४५०	

विरुवाहरुको जिल्ला दररेट रु.

क्र.सं	विरुवाको प्रजाती	एकाई	आ.व.०८१-८२ को दररेट	आ.व.०८२- ८३ को दररेट	कैफियत
२४	सडक किनारामा रोपिने विरुवाहरु (गोल्डमोहर, ज्याकाराण्डा, समि, पारिजात, राजवृक्ष, कपुर आदि) ५ फिट माथि	गोटा		५५०	

[Handwritten signatures and text]

आ.व. ०८२/०८३ को घर भाडा प्रति वर्ग फिट फ्लोर एरिया प्रति महिना

क्षेत्र	घरको किसिम				कैफियत
	A	B	C	D	
क	२९.५७	२८.४७	२७.१२	२४.६३	
ख	२४.६५	२३.४५	२२.३९	२१.३६	
ग	२२.३९	२१.३६	२०.१७	१८.९६	
घ	२०.१७	१८.९६	१७.९१	१६.५४	

पार्किङ क्षेत्रको प्रति वर्ग फिट एरिया प्रति महिना रु १२

क्षेत्रको विवरण

क	जिल्ला वन कार्यालयदेखि धनगढी ट्राफिक कार्यालयसम्म
ख	भन्सारदेखी चौराहा चटकपुर, बैयाबेहरी, उत्तरबेहरी, हसनपुर, बोराडाही, जिल्ला वन कार्यालयदेखी क्याम्पस रोड, लक्ष्मिनारायण मन्दिर रोड, नेपाल राष्ट्र बैंक रोड, अदालत रोड त्रिवेणी चोक अत्तरिया वरिपरी क्षेत्र
ग	सन्तोषी टोल, विशाल नगर तारानगर पुरानो भन्सार रोड धनगढी न.पा. का अन्य क्षेत्रहरू, टिकापुर र लम्की बजार
घ	माथि उल्लेखित बाहेकका क्षेत्रहरू

घरको किंसेमको विवरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

गाडी भाडा ईन्धन बाहेक प्रति दिन रु	४००० without AC	५००० with AC
------------------------------------	-----------------	--------------

नेपाल सरकार
गृह मन्त्रालय
प्रशासन व सर्वाङ्ग
धनगढी, कैलाली

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]